NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be

WATER WELL REPORT



filed with the	FOREGON No. State Well No.	3/38-4	1
STATE ENGINEER SALEM OREGIN SIMO CONTROL -	pe or print)		
within 30 days from the dato E (15 tot write a of well completion.	above this line) State Permit N	io	
FFB 1 3 1969	Α		
(1) QWNER: STATE ENGINEER	(11) LOCATION OF WELL:		
Name Bill Seffers SALEM, OREGON	County Driller's well n	umber 157	
Address I gland City Hux. Labrande - Oreg.	34 34 Section 14 T. 2	S R. 28	₹ W.M.
vocass Teleng Cith Hink. They mas - 1 ved.	Bearing and distance from section or subdivision		
(2) TYPE OF WORK (check):	10'N WE From the Sk		72.65
New Well □ Deepening ▼ Reconditioning □ Abandon □	Lot #9 May that Add		
If abandonment, describe material and procedure in Item 12.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well	L -1	^
Rotary Driven Driven Demostic W Industrial D Municipal D	Depth drilled the Depth of completed well		
Cable Jetted	Formation: Describe color, texture, grain size and structure of materials;		
CASING INSMALLED.	and show thickness and nature of each stratu	ım and aquifer	penetrated,
CASING INSTALLED: Threaded Welded Welded Work To Diam from 180 ft to 340 ft Gage 1250	with at least one entry for each change of form in position of Static Water Level as drilling pr	nation. Report	each change
•		T	
" Diam. from	MATERIAL		
Diam. from 11. to 12. to 12. to 13.	Brown Cowarded dianel	180 18	
PERFORATIONS: Perforated? Yes No.	Frame clay + Sine gravel		
Type of perforator used Torch	Blue clay	920 29	
Size of perforations 14 in. by 4 in.	Blue Sandy Clay	232 24	
360 perforations from 210 n to 340 n	Blue Clay	222 2	0 5-
perforations from ft. to ft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
(E) CODENIA			
(7) SCREENS: Well screen installed? Yes No			
Manufacturer's Name			
Type Model No			
Diam. Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			
(8) WATER LEVEL: Completed well.			
Static level 24 ft. below land surface Date \\-8-68			
sian pressure lbs. per square inch Date		<u> </u>	
Orandown is amount water level is lowered below static level			
Was a pump test made? Yes 16 Ves, by whom? 8005			
Field: 40 gal./min. with 35' ft. drawdown after 48 hrs.	Work started 10-23 1968 Complete	ied \	¢ - 1968
,	Date well drilling machine moved off of well		1968
" " " "	Drilling Machine Operator's Certification:		-
Dellar test	This well was constructed under my d	irect supervis	
Bailer test gal./min. with ft. drawdown after hrs.	rials used and information reported about knowledge and belief.	ve are true t	to my best
Artesian flow g.p.m. Date		Date .11/8	
Temperature of water 54° Was a chemical analysis made? ☐ Yes 📉 No	[Signed](Drilling Machine Operator)	Date	, 19622.
(10) CONSTRUCTION:	Drilling Machine Operator's License No. 47.2		
Well seal-Material used QNOWT	Drilling Machine Operator's License No.		
Depth of seal \OO' ft.	Water Well Contractor's Certification:		
Diameter of well bore to bottom of seal	This well was drilled under my jurisd	iction and th	is report is
Were any loose strata cemented off? Yes You Depth	true to the best of my knowledge and belief.		
Was a drive shoe used? Yes No	NAME (Person, firm or corporation)	Type or p	nt)
Did any strata contain unusable water? Yes No	(Ferson, tirm or corporation)		~ ~ ~ ~
Type of water? depth of strata	Address Kt. Dax Lld.	and al	vae. C
	R 1. IN 1+11 0	<i>'</i>	
Method of sealing strata off	[Signed]	etor)	•••••••
Was well gravel packed? Yes No Size of gravel:		- 10	4.0
Gravel placed from ft. to ft.	Contractor's License No.	A-1	, 1¥