

WATER WELL REPORT
STATE OF OREGON

WALL
248

RECEIVED

MAY 21 1984

State Well No. 15/44E-3566

State Permit No.

WATER RESOURCES DEPT
SALEM, OREGON

(1) OWNER:

Name Harvey Burns Outpost RV Park
Address Box 13 B Flora RT
City Euterpe State Ore

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air Driven Domestic Industrial Municipal
Rotary Mud Dug Irrigation Test Well Other
 Bored Thermal: Withdrawal Reinjection

(4) PROPOSED USE (check):

(5) CASING INSTALLED:

Steel Plastic
Threaded Welded

8" Diam. from -18" to 147 ft. Gauge 250
6" Diam. from 29 ft. to 210 ft. Gauge 350

LINER INSTALLED:

" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? Yes No

Type of perforator used torch
Size of perforations 3/8 in. by 4 in.
3000 perforations from 60 ft. to 210 ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot Size Set from ft. to ft.
Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom? Driller
D: 55 gal/min. with 60 ft. drawdown after 1 hrs.
" 50 " 105 " 2 "
Air test 42 gal/min. with 8 1/2 ft. stem at 8 hrs.
Bailer test gal/min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water 53 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes No

Well seal—Material used Cement Slurry
Well sealed from land surface to 7 1/2 ft.
Diameter of well bore to bottom of seal 12 in.
Diameter of well bore below seal 8 in.
Number of sacks of cement used in well seal 21 sacks
How was cement grout placed? Pumped from 40'
Was pump installed? yes Type Sub HP 3 Depth 196 ft.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of Water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Willowa Driller's well number
NEW 1/4 NW 1/4 Section 35 T. 12 R. 44E W.M.
Tax Lot # 201 Lot Blk Subdivision
Address at well location: Box 13 B Euterpe
290' west 187' S of the NE Corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft.
Static level 35 ft. below land surface. Date 5-18-84
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6"

Depth drilled 257 ft. Depth of completed well 257 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	0	4	
Brown Clay + Gravel (Soft)	4	32	
Cemented Gravel	32	162	35'
Brown Clay + Gravel	162	184	35'
Brown Rock (Basalt)	184	257	35'

Work started 4-2 1984 Completed 5-17 1984
Date well drilling machine moved off of well 5-18 1984

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Robert H. Stoffel Date 5-18, 1984
(Drilling Machine Operator)
Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Stoffel Bros Drilling Co.
(Person, firm or corporation) (Type or print)
Address 206 Dept. Enterprise Ore
[Signed] Robert H. Stoffel
(Water Well Contractor)
Contractor's License No. Date 5-18, 1984