WATER WELL REPORT STATE OF OREGON

WALL 259

RECEIVED

JAN261984

WATER RESOURCES DEPT. SALEM, OREGON

-State Well No.	15/45E-29ba
	· 1

ÆLL:	***************************************				~
State Permit No.	••••••	•••••••	•••••	••••••	
State Well No		/			,

(1) OWNER:	(10) LOCATION OF WELL:				
Name LEONARD ME/VE//C	County WA 110 WA Driller's well number #				
Addres C / C 0 13 T /	5E 14 NW 14 Section 29 T. / 5	R.45 E	W.M.		
City ENTER PRISE State ORE	Tax Lot # Lot Blk	Subdivision			
(2) TYPE OF WORK (check):	Address at well location: Same				
New Well $\slash\hspace{-0.4em}\overline{\hspace{-0.4em}\hspace{-0.4em}\eta}$ Deepening \square Reconditioning \square Abandon \square	(44)				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found		ft.		
Rotary Air Driven Domestic Industrial Municipal		and surface. Date 🗗	-26-62		
Rotary Mud Dug Irrigation Test Well Other	and per square metr. Date				
The control of the co	(12) WELL LOG: Diameter of well below				
(5) CASING INSTALLED: Steel A Plastic Threaded Welded	Depth drilled 570 ft. Depth of completed well ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry				
Threaded Welded Welded T					
"Diam fromft. toft. Gauge	for each change of formation. Report each change in pand indicate principal water-bearing strata.	osition of Static Wa	iter Level		
LINER INSTALLED:	MATERIAL				
	TOP SAIL	From To	SWL		
	BASAIT - Ned	2 160	¥i -		
(6) PERFORATIONS: Perforated? ☐ Yes You Type of perforator used	BASAIT- BIAGIS	160180	160		
Size of perforations in. by in.	BASAIT - Red	180240	:·		
perforations from ft. to ft.	GRAVEL COARSE W-B.	240 250			
perforations from ft. to ft.	BASAIT-BIACIS	250 320	*		
perforations from ft. to ft.	BASAIT Hed	320 370			
(7) SCREENS: Well screen installed? Yes No	CIAY KEd-	320 395	 .		
Manufacturer's Name	BASAIT BLACK	395 420			
Type Model No	GRAVEL COARSEW-B.	470 450	-		
Diam. Slot Size Set from ft. to ft.	BASAIT BIACK	480 500	160		
Diam. Slot Size Set from ft. to ft.		7 80 30 -	<u> </u>		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level					
a nump test made? Yes No If yes, by whom?					
id: gal/min. with ft. drawdown after hrs.					
" "			 -		
Air test 200 gal./min. with drill stem at 4/70 ft. 4 hrs.					
Bailer test gal./min. with ft. drawdown after hrs.					
Sian flow g.p.m. Depth artesian flow encountered ft.					
(2)	Work started 4-23 1982 Complete	18-26	1982		
(9) CONSTRUCTION: Special standards: Yes □ No ☐ Well seal—Material used CCM.CM. ☐	Date well drilling machine moved off of well	<u> </u>	1982		
Well sealed from land surface to	Drilling Machine Operator's Certification:				
Diameter of well bore to bottom of seal	This well was constructed under my direct su and information reported above are true to my be	pervision. Materi	als used		
Diameter of well bore below seal in.	[Signed] / Letyey Llenne	Date 8 26	19 8 2		
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)	·			
How was cement grout placed? GROUT PUMP	Drilling Machine Operator's License No	• • • • • • • • • • • • • • • • • • • •			
	Water Well Contractor's Certification:				
Was pump installed?	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.				
Was a drive shoe used? A Yes \square No Plugs Size: location ft.	Name 19 DEMALS DRILLINS (Person, firm or corporation) (Type or print)				
Did any strata contain unusable water? Yes No	(Person, firm or corporation)	(Type or pr	int)		
Type of Water? depth of strata	Address J. U. M. P. T. G. T. STT+ G. E. A. D.	•	7(Z. C		
Method of sealing strata off	[Signed] Melly Merry (Water Well Contractor	, m)			
Was well gravel packed? ☐ Yes No Size of gravel:	Contractor's License No. Date 5	<u> </u>	19 2_		
Gravel placed fromft. toft.			,		