NOTICE TO WATER WELL CONTRACTOR

The original and first copy of the Report CEIV FARER WELL REPORT

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310 NOV 161978

STATE OF OREGON

(Please type or print)

of well completion WATER RESOURCES (DEPT vrite above this line)



State Permit No.

SALEM. OREGON	400 7.004 7.005
(1) OWNER: Name CHET ASCHEN BRENNER	(10) LOCATION OF WELL:
Name CIRC / SCHEN BRENNER Address Ry # / Box 140	SW 4 SE 4 Section 3/ T. /S. R. 46 E. W.M.
ENTERPRISE OREGON	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	bearing and distance from section or subdivision corner
New Well	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 621 ft.
Rotary X Driven Domestic Industrial Municipal Domestic	Static level 585 ft. below land surface. Date 11-10-18
Dug 🛘 Bored 🖟 Irrigation 💢 Test Well 🗎 Other 🔻	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing 3" BELOG. Depth drilled /4// ft. Depth of completed well /4// ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in
Type of perforator used	position of Static Water Level and indicate principal water-bearing strata.
Size of perforations in. by in.	MATERIAL From To SWL
perforations from ft. to ft.	SOIL, BROKEN KOCK 0 4 BROWN BASALT 4 42
perforations fromft. toft.	90FT BROWN " 42 298
perforations from ft. to ft.	MED, " 248 363
(E) CODETING	SOFT RED " 363 386
	MED. GREY " 386 476
Manufacturer's Name Type Model No.	11 D W 1 476 589
Diam. Slot size Set from ft. to ft.	SPT LED W/SOAPSTONE 589 197 Water
Diam Slot size Set from ft. to ft.	SOFT GREEN SONDSTONISIE 359 WATER
	MED GREEN SOMPSTONISHE 359 WATER
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	BEAKEN " RASALT LAUS 1190
Was a pump test made? Yes No If yes, by whom?	11 RED 11 1190 1220
Yield: gal./min. with ft. drawdown after hrs.	BROKEN GREY " 1220 1340 Wales
ST. 800 GPM BIR LIFT "	17/ED, 11 11 (3:40 141)
n " " " "	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
erature of water 4 Depth artesian flow encountered ft.	Work started 10-3/ 19 78 Completed 11-10 19 78
(9) CONSTRUCTION:	Date well drilling machine moved off of well //- 10 19 78
Well seal-Material used	Drilling Machine Operator's Certification:
Well sealed from land surface to 20 ft.	This well was constructed under my direct supervision
Diameter of well bore to bottom of seal	Materials used and information reported above are true to my best knowledge and belief
Diameter of well bore below seal	[Signed] CHUALLU D. 11-13 1078
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)
How was cement grout placed?	Drilling Machine Operator's License No
To an address on the second	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is
Was a drive shoe used? Yes No Plugs Size: location ft.	true to the best of my knowledge and belief.
Oid any strata contain unusable water? Yes No	(Person, figure or corporation) (Type or print)
Type of water? depth of strata	Address thuallace
Method of sealing strata off	[Signed] PENDLETON, OR,
Was well gravel packed? Yes No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 583 Date