*>

STATE OF OREGON

WATER WELL REPORT

WASC

WIBEL	7 66
W19177	

(START CARD) #

(as required by ORS 537.765)	. (2	SIARI_CARD) #				
(1) OWNER:		OF WELL by le				
Name Ron Vergeer	County WASC	Latitude		Longitude		,
Address 5616 Cherry Heights Road	Township 1N	Nor-S. Range	3 £		_E or W.	WM.
City The Dalles State OR Zip 97058	Section		<u> NW</u>	1/4		
(2) TYPE OF WORK:	Tax Lot <u>204</u>	Lot Block	:	Subdi	ivision	
🔀 New Well 🔲 Deepen 🔲 Recondition 🔲 Abandon	Street Address of V	Vell (or nearest address)			10	·
(3) DRILL METHOD	50/6	Cherry He	<u> 196</u>	<u> </u>	<u>'D.</u>	
Rotary Air Rotary Mud Cable	(10) STATIC V	VATER LEVEL:				
Other	_3/5_ ft.	below land surface.		Date .	4-2	9-91
(4) PROPOSED USE:	Artesian pressure _	lb. per squ	are inch.	Date .		
Domestic Community Industrial Irrigation	(11) WATER B	EARING ZONE	S:			
☐ Thermal ☐ Injection ☐ Other		s first found 345				
(5) BORE HOLE CONSTRUCTION:					_	T
Special Construction approval Yes No Depth of Completed Well 400 ft.	From	To		nated Flow	Rate	SWL
Explosives used Type Amount	345	<u> ૩</u> ૬૦		<u>30_</u>		3(5
Diameter From To Vaterial From To sacks or nounds						
10" top 35' bentonite top 35' 10 socks	(12) WELL LO	~ =				1
6 25' 400'	(12) WELL LO	G: Ground elevati	on	200		
£		Material		From	To	SWL
	top soil		• • • •	0		
How was seal placed: Method	brown sands	stone	• • • •		43	
Backfill placed fromft. toft. Material		& silt		43	98	
Gravel placed fromft. toft. Size of gravel		stone, crevis		98		-
		stone,fine,s stone,coarse		105		1
(6) CASING/LINER: Diameter From To Gauge Steel Plastic Welded Threaded	brown & gra	v rvolita	POT	6220	343	
Diameter From To Gauge Steel Plastic Welded Threaded Casing: 6" too 119 .250 W	water beari	ing		345	387	315
		stone&ryolit		387	400	315
		7				515
Liner: 45 120 400		Ł				
		!				
Final location of shoe(s)		DECE	VE			
(7) PERFORATIONS/SCREENS:		HLUCI	VL	y		
Perforations Method Saw		1160	1001			
☐ Screens Type Material		MAY 1 0	1991	 		
Slot Tele/pipe		***				
From To size Number Diameter size Casing Liner]	WATER RESOUR				
370 700 8 00 17 12		SALEM OF	(EGO	1		
	Date started 4 -	39-91 Com	oleted	4-36	7-9	Ĺ
						-
(8) WELL TESTS: Minimum testing time is 1 hour	, ,	Well Constructor Cer e work I performed or			n, alter	ation ō
☐ Pump ☐ Bailer ☒ Air ☐ Artesian	abandonment of this	well is in compliance	e with	Oregon w	vell cons	struction
•	standards. Materials t knowledge and belief.	used and information r	eported	above are	e true to	my bes
Yield gal/min Drawdown Drill stem at Time	Anowieuge and benef.		V	VWC Nur	nber	
30gpm 100% 400' 1hr.	Signed			ate		
<u> </u>						
/**	1 ' '	Il Constructor Certifibility for the construc			 Or aban	donmen
Temperature of water Depth Artesian Flow Found	work performed on th	is well during the cons	truction	dates re	ported a	bove. al
Was a water analysis done?		ring this time is in				
Did any strata contain water not suitable for intended use? Too little Salty Muddy Odor Colored Other	belief.	ls. This report is true		est of my VWC Nur		_
	Signed O	& L Moore		oate <u>4-</u>		
Depth of strata:	l piguen	<u> </u>	L	ale	- w w	