The original and first copy is in of this report are to be filed with the , 19 WATER WELL REPORT D NOTICE TO WATER WELL CONTR state engineer, salem 10, oregon within 30 days from the date of well completion. OPSCOState Permit No. Drawdown is amount water level is lowered below static level (1) OWNER: (11) WELL TESTS: C. S. Trygg Was a pump test made? [] Yes 💢 No If yes, by whom? Name Route 4, Box 52 Address Yield: gal./min. with ft. drawdown after The Dalles, Oregon (2) LOCATION OF WELL: 22 gal./min. with Bailer test ft. drawdown after Driller's well number County Artesian flow 12 1/4 Section T. / // Temperature of water 56 Was a chemical analysis made? ☐ Yes 🏖 No Bearing and distance from section or subdivision corner (12) WELL LOG: Diameter of well below Having Depth drilled 231 ft. Depth of completed well 232 Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. MATERIAL. FROM soil. brown TYPE OF WORK (check): Well 🕅 Deepening [Reconditioning [Abandon [sandstone, brown ndonment, describe material and procedure in Item 12. sandstone, light brown 25 105 clay, tan, white & rocky 105 777 (4) PROPOSED USE (check): (5) TYPE OF WELL: sandstone, brown 111 ☐ Driven ☐ ☐ Jetted □ Rotary Domestic A Industrial Municipal 171 142 sandstone, greyish-brown Cable Irrigation

Test Well

Other Ħ Dug □ Bored 182 sandstone, brown & rocky 182 sandstone, grey 199 (6) CASING INSTALLED: Threaded [sand and gravel. water bearing 6 "Diam from 0 ft to 231 ft Gage." Corrected (7) PERFORATIONS: Perforated? N Yes | No perforator Type of perforator used Size of perforations in. by 160 perforations from 200 perforations from 2/4 ft. to 23/ La personations Ground perforations from perforations from (8) SCREENS: Well screen installed ☐ Yes Manufacturer's Name Model No. Slot size _____ Set from _____ ft. to _____ ft. Work started July 13,1963 Completed 1963 Diam. Slot size _____ Set from ____ ft. to ____ Date well drilling machine moved off of well Aug 196 (9) CONSTRUCTION: (13) PUMP: Well seal-Material used in seal Bentinite Manufacturer's Name .. Depth of seal _____ ft. Was a packer used? _____ yes - ____ sandype: ____ Diameter of well bore to bottom of seal ______10___in. Water Well Contractor's Certification: Were any loose strata cemented off? ☐ Yes XNo Depth ... This well was drilled under my jurisdiction and this report is Was a drive shoe used? XYes □ No true to the best of my knowledge and belief. Was well gravel packed? K Yes \(\simega \) No Size of gravel: \(\frac{3}{4} \) Gravel placed from 22 ft. to 216 NAME Bert Clayton & Son (Type or print) Did any strata contain unusable water?

Yes X No The Dalles, Oregon Address 2313 E. 10th St., Type of water? Depth of strata

1 dt. below land surface Date 3-63

| lbs. per square inch Date | Contractor's License No.

Method of sealing strata off

Static level
Artesian pressure

(10) WATER LEVELS:

(USE ADDITIONAL SHEETS IF NECESSARY)

Drilling Machine Operator's License No.

1

Date Aug. 21, 19 63