NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON NOV 24 1967 State Well No. /N (Please type or print) ENGINEER
(Do not write above this line) ORE State Permit No.

(1) OWNER:	(11) LOCATION OF WELL:
Name Mr. Joe J. Fleck	County Wasco Driller's well number
Address Rt. 4 The Dalles, Ore.	N.E4 S.W 4 Section 5 T. 1N. R. 13E. W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well Deepening □ Reconditioning □ Abandon □	
If abandonment, describe material and procedure in Item 12.	•
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing8
Cable Domestic I Industrial Municipal	Depth drilled 285 ft. Depth of completed well 285 ft.
Dug Bored Irrigation Test Well Other	Formation: Describe color, texture, grain size and structure of materials:
CASING INSTALLED: Threaded WeldedX 8 Diam. from 0 ft. to46 tt. Gage250	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.
ft. Gage	MATERIAL From To SWL
	Soil, brown 0 5
PERFORATIONS: Perforated? Yes No.	G17+ 5 20
Type of perforator used	blow sand - 29 38
	sandstone, brown 38 40
	clay, yellow, joint 40 41
perforations from ft. to ft.	sandstone, prown 41 55
perforations fromft. toft.	sandstone, brown with
perforations from ft. to ft.	trace of yellow clay 55 70
perforations fromft. toft.	sandstone, grey 70 78
personal It.	70 //
(7) SCREENS: Well screen installed? Yes Kno	sandstone, grey 99 105
Manufacturer's Name	sandstone, brown, dk. to 1gt.105 111 gandstone, grey 111 124
Type	sandstone, brown 124 175
Diam. Slot size Set from ft. to ft.	sandstone light to dark 175 180
Diam. Slot size Set from ft. to ft.	gedimentary hik with disvisa 180
(8) WATER LEVEL: Completed well.	rock, basalt, black 139 215 /45
Static level 145 ft. below land surface Date 11, 2, 67	water encountered waterenc
Sian pressure lbs. per square inch Date	rock, porous, blk. with
The second secon	white crystals, brown flakes 215 220
lowered below static level	rock, porous 220 225
Was a pump test made 2 Yes □ No If yes, by whom the Owner	rock, blk, trace blue clay 225 235 work state grey, basalty Completed 235 299
Vield: 34 gal./min. with n@ft. drawdown after hrs.	work started Sept. 4 Completed 235 209 67
" "	Date well drilling machine moved off of well Nov 4
" " " " " " " " " " " " " " " " " " " "	Drilling Machine Operator's Certification:
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my direct supervision. Materials used and information reported above are true to my best
Artesian flow g.p.m. Date	knowledge and belief.
Temperature of water 58 Was a chemical analysis made? Yes 12 No	[Signed] Out Cayton Date //-2/, 1967
(10) CONSTRUCTION:	Drilling Machine Operator's License No. 146
Well seal—Material used Bentonite	Diming Machine Operator's Dicense No.
Depth of seal 45 ft.	Water Well Contractor's Certification:
Diameter of well bore to bottom of seal 12 in.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Were any loose strata cemented off? Yes X No Depth	NAME Bert Clayton & Son
Was a drive shoe used? M. Yes No	(Person, firm or corporation) (Type or print)
Did any strata contain unusable water? Yes No	Address 2313 E. 10th. The Dalles, Ore
Type of water? depth of strata	b lal
Method of sealing strata off	[Signed] Ser Clayton
Was well gravel packed? ☐ YesX No Size of gravel:	Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 3 4 Date // 2/ , 1967