NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

RECEIVATE OF OREGON.

JULIUM for 18716 above this line 0 2613



State V	Well No.	IN/ISE	-21ab

State Permit No.

State	Well	No.	In/	13	Ē	-2	1a	b

(1) OWNER: WATER RESOURCES [E(16) LOCATION OF WELL:					
Name Orchard View Farms, In SALEM, OREGON	County Wasco Driller's well no	umhar				
Address Rt 2 Box 118	NW 14NE 14 Section 21 T. 1N	R. 13 E	*** 3.5			
The Dalles, OR 97058			W.M.			
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivisi	ion corner				
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐						
If abandonment, describe material and procedure in Item 12.	(11) TAYARIND T ENVIRON CO	- 11				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed w					
T 77	Depth at which water was first found	425	ft.			
Cable	Static level 393 ft. below land s	surface. Date 0-	6-79			
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per squar	re inch. Date				
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well 1	helow essing	511			
" Diam. from 0 ft. to 20 ft. Gage •250	Depth drilled 555 ft. Depth of completed well 555 ft.					
6 "Diam. from 0 ft. to 197 ft. Gage . 250	Formation: Describe color, texture, grain size					
	and show thickness and nature of each stratu	m and aquifer per	netrated.			
PERFORATIONS: Perforated? Ves V No	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.					
Type of perforator used Perforated? ☐ Yes No.		<u> </u>				
	Sandstone brown	From To	SWL			
Size of perforations in. by in.		0 25 25 65				
perforations fromft. toft.	Clay yellow	-				
perforations from ft. to ft.	Sandstone brown	65 86 86 101	 .			
	Cement Rock Sandstone grey	101 152				
(7) SCREENS: Well screen installed? Yes K No	Sandstone, brown	152 163	······································			
Manufacturer's Name	Clay, white & yellow.	163 168				
Type Model No.	Sandstone, brown/rocky	168 195				
Diam Slot size Set from ft. to ft.	Sandstone, brown	195 355				
Diam. Slot size Set from ft. to ft.	Sandstone, grey	355 425	393			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Sandstone, brown	425 460	71			
lowered below static level		k460 475	11			
Was a pump test made? ☐ Yes [Y] No If yes, by whom?	_Sandstone, grey	475 540	11			
Yield: gal./min. with ft. drawdown after hrs.	Clay, grey	<u> 548 548 </u>	11			
" " "	Clay, white	548 555				
-A"in						
Easter test 5 gal./min. with 100t. drawdown after 1 hrs.						
Artesian flow g.p.m.			_			
perature of water 59 Depth artesian flow encountered ft.	Work started May 18 1979 Complete	June 6	19 79			
(9) CONSTRUCTION:	Date well drilling machine moved off of well	June 6	19 79			
Well seal—Material usedCement grout	Drilling Machine Operator's Certification:					
Well sealed from land surface toft.	This well was constructed under my	direct superv	ision.			
Diameter of well bore to bottom of seal 12	Materials used and information reported best knowledge and belief	apove are true	to my			
Diameter of well bore below seal		Date 7-12	10 79			
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator)	•				
How was cement grout placed? Pressurfouted with pump	Drilling Machine Operator's License No.	129				
	Water Well Contractor's Certification:		 -			
V	This well was drilled under my jurisdi true to the best of my knowledge and bel		port is			
Was a drive shoe used? Yes No Plugs Size: location ft. Did any strata contain unusable water? Yes To No	Name Gilbert Clayton Well	Drilling				
Type of water? depth of strata	(Person, firm or corporation) Address Rt 1 Box 61-A, The	Type or print Dalles, OF				
Method of sealing strata off	1.11. L 0	! -				
Was well gravel packed? ☐ Yes X No Size of gravel:	[Signed] (Water Well Contr	actor)				
Gravel placed fromft. toft.	Contractor's License No. 569 Date7	/10	. 19.79			
	Date		, 13[]			