NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON (Please type or print)

(Do not write above this line)

state	Well 1	Νo.	•••••	
State	Permi	it N	o.	

IN/13/E-32

(1) OWNER:	(10) LOCATION OF WELL:		
Name M. F. Martin	County Wasco Driller's well number	· ·	
Address Route 2, Box 131, The Dalles, Ore.	SW 14 NE14 Section 32 T. 1 NR. 13 E.	W.M.	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner	****	
Cleaning _	Well #2, drilled in 1955		
New Well			
	(11) WATER LEVEL: Completed well.	-	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	ft.	
Rotary Driven Domestic L Industrial Municipal Domestic L	Static level 15 above ft. below land surface. Date 1-2	22-76	
Dug 🗍 Bored 🗎 Irrigation 🔏 Test Well 🗎 Other 🗎	Artesian pressure 45 lbs. per square inch. Date 1-2		
CASING INSTALLED: None			
	(12) WELL LOG: Diameter of well below casing		
	Depth drilled 0 ft. Depth of completed well 427	ft.	
" Diam. fromft. Gage	Formation: Describe color, texture, grain size and structure of mate		
	and show thickness and nature of each stratum and aquifer penet with at least one entry for each change of formation. Report each cha	nge in	
PERFORATIONS: Perforated? Yes X No.	position of Static Water Level and indicate principal water-bearing	strata.	
Type of perforator used	1 ——	swL	
Size of perforations in. by in.	Found two places where well was br	ridged	
perforations from ft. to ft.	C77 F 8/	-	
perforations from ft. to ft.	Cleaned 5 ft. of material o'f bott	com_	
perforations from ft. to ft.			
(7) SCREENS: Well screen installed? \(\subseteq \text{Yes} \(\subseteq \text{No} \)			
Manufacturer's Name			
Type Model No.			
Diam Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is			
lowered below static level			
Was a pump test made? Yes No If yes, by whom?			
Yield: gal./min. with ft. drawdown after hrs.		· -	
" " " "		 -	
" " " " " " " " " " " " " " " " " " " "	2 1		
Bailer test gal./min. with ft, drawdown after hrs.		•	
Artesian flow 300 g.p.m.	127	*******	
perature of water 89 Depth artesian flow encountered 425. ft.	Work started Jan. 19 19 76 completed Jan. 22	19 76	
(9) CONSTRUCTION:	Date well drilling machine moved off of well Jan. 22	19 76	
well seal-Material used Old seal - 1955	Drilling Machine Operator's Certification:		
Well sealed from land surface toft.	This well was constructed under my direct supervis	sion.	
Diameter of well bore to bottom of seal in.	Materials used and information reported above are true to best knowledge and belief.		
Diameter of well bore below sealin.	[Signed]	₉ 76	
Number of sacks of cement used in well seal sacks	(Dining wachine Operator)		
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No. 129		
Brand name of bentonite	Water Well Contractor's Certification:		
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this repo	ort is	
of waterlbs./100 gals. Was a drive shoe used? Yes X No Plugs Size: locationft.	true to the best of my knowledge and belief.		
was a drive shoe used? ☐ Yes No Plugs Size: location ft. Did any strata contain unusable water? ☐ Yes Y No	Name Gilbert Clayton Well Drilling (Person, firm or corporation) (Type or print)	-	
Type of water? depth of strata	(Person, firm or corporation) (Type or print) Address t 1, Box 61-A, The Dalles, Ore.		
Method of sealing strata off	1. 11 L 20 7	********	
Y	[Signed] (Water Well Contractor)		
	560 1 20 76	_ :	
Gravel placed from ft. to ft.	Contractor's License No.	(Q	