JUN 21961 WATER WELL REPORT 00273 State Well No. 21/11-2J
STATE E GINEFSTATE OF OREGON C-1984 State Permit No.

ALEM ODEGON

(12) WASSC

STATE E GINEFSTATE OF OREGON C-1984

State Permit No.

Drawdown is amount water level is

File Original and	
First Copy with the	
STATE ENGINEER,	
SALEM, OREGON	

(1) OWNER:	Was a pump test made? Yes \( \text{No. If yes, by whom} \)	Strasser Dril	
Tame City of Mosier, Oregon	Was a pump test made? Yes No If yes, by whom viold: 150 gal /min, with 18 ft. drawdow.	n after 12 hrs.	
Address Mosier, Oregon	Yield: 100 gai./min. with 1t. diawdow.	n arter 1113.	
	" 400 " 49 "	**	
(2) LOCATION OF WELL:		n after hrs.	
County Wasco Owner's number, if any 2	Daller test guil/		
NE 4 SE 4 Section 2 T. 2N R. 11 E W.M.	· · · · · · · · · · · · · · · · · · ·	ide? 🗌 Yes 🗍 No	
Bearing and distance from section or subdivision corner			
1345 ft. N and 315 W from the section	(12) WELL LOG: Diameter of well		
corner of Sects. 1, 2, 11, and 12	Depth drilled 250 ft. Depth of completed w	ell 250 ft.	
T 2 N, R 11, E. W.M.	Formation: Describe by color, character, size of materic show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each c	il and structure, and the material in each hange of formation.	
	MATERIAL	FROM TO	
	m	Surf 2	
(3) TYPE OF WORK (check):	Topsoil Broken rock and topsoil	2 15	
New Well 🛣 Deepening □ Reconditioning □ Abandon □ If abandonment, describe material and procedure in Item 11.	Cemented gravel-boulders	15 36	
If abandonment, describe material and procedure in rich 11.	Black basalt-med, hard	36 55	
PROPOSED USE (check): (5) TYPE OF WELL:	Hard grey basalt	55 66	
Demostic   Industrial   Municipal   Rotary   Driven	Shale	66 77	
Domestic   Industrial   Industrial   Cable	Black basalt-some water	77 98	
<u> </u>	Hard grey baslt	98 216	
(6) CASING INSTALLED: Threaded □ Welded \(\frac{\partial}{2}\)	Prokon block haslat-water	216 221	
10 "Diam. from Surfacest. to 41 ft. Gage 33 #/ft	Hard grey baslt	221 226	
	Porous black basalt-water	226 241 -	
	Blue clay	241 250	
(7) PERFORATIONS: Perforated?  Yes YNo	2 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		
(7) PERFORATIONS.		-	
Type of perforator used SIZE of perforations in. by in.			
SIZE of perforations in. by m. perforations from tt. to ft.			
perforations fromft. toft	AL AL	+	
perforations from ft. to ft.			
perforations fromft. toft	h/-81		
perforations fromft. tof			
(8) SCREENS: Well screen installed			
Manufacturer's Name	The second secon		
Type	77.4	*	
Slot size Set from ft. to ft.	t. Work started May 3 152. Completed J	une 18 <sub>19</sub> 52	
	(13) PUMP:		
(9) CONSTRUCTION:  Was well gravel packed? □ Yes □ No Size of gravel:	1 ` '		
Gravel placed fromft.	*	H.P	
Was a surface seal provided? X Yes □ No To what depth?41	t,		
Material used in seal—	_   Well Driller's Statement:		
Did any strata contain unusable water?   Yes No	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  NAME  R. J. Strasser Drilling Co.  8110 (Person, firm, or corporation) (Type or print) SES unset Lane Portland 6, Oregon		
Type of water? Depth of strata			
Method of sealing strata off			
(10) WATER LEVELS: Static level 41 ft. below land surface Date $7/5/52$	Address		
Il a man anyong inch Date	Driller's well number 2881		
Artesian pressure lbs. per square men Bate	PA. LYCT		
Log Accepted by:	[Signed] (Well Driller)	<b>U</b>	
[Signed] Date, 19	10 May	24 1961	
(Owner)	License No. Date	10	