## WATER WELL REPORT STATE OF OREGON

002805

RE		Tares.	, pathoretic	State	Well No.	ي کرا		120	-5d
						No	ď.	les	
ATER	RE	50	U	RCES	DEPT			,	

(1) OWNER: Albert E. Stevens	(10) LOCATION OF WELL:				
Name 1625 State Rd.	County Wasco Driller's well number 71				
Address Work Av	SW & SE & Section 5 T. 2N R. 12 East W.M.				
City MOSLET State Uregon	Tax Lot # 900 Lot Blk Subdivision				
(2) TYPE OF WORK (check):	Address at well location: 1625 State Rd.,				
New Well □ Deepening K Reconditioning □ Abandon □	Mosier, Oregon 97040				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.				
	Depth at which water was first found 22				
(1) I HOI OBED CBE (CHECK):	Static level 18 ft. below land surface, Date 8/19/8				
Rotary Air Driven Domestic Dindustrial Municipal Rotary Mud Dug Dirrigation La Test Well Dother	Artesian pressure lbs. per square inch. Date				
Bored   Thermal: Withdrawal   Reinjection					
(5) CASING INSTALLED: Steel Plastic	Denth drilled 117				
Threaded D. Walter D.	Formation: Describe color, texture, grain size and structure of materials; and also				
?	thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level				
"Diam fromft. Gauge	and indicate principal water-bearing strata.				
LINER INSTALLED:	MATERIAL From To SWI.				
	This was a very old well and the				
(A) DEDEOD ATTOMS	owner did not have a well log				
(6) PERFORATIONS: Perforated?  Yes No Type of perforator used	I began to deepen the well at 70 feet 22				
Size of perforations in. by in.	solid basalt, hard black 70 117 18				
perforations from					
perforations from					
perforations from					
The state of the s					
Manufacturer's Name					
Type					
Diam. Slot Size Set from ft. to ft.					
(8) WELL TESTS: Drawdown is amount water level is lowered					
below static level					
a pump test made? Tyes I No If yes, by whom? OWNER					
d: 25 gal/min. with 90 ft. drawdown after 21 hrs.	2				
" " "					
Air test gal./min. with drill stem at ft. hrs.					
Bailer test gal./min. with ft. drawdown after hrs.					
Artesian flow g.p.m.					
perature of water 23 Depth artesian flow encountered ft.	Work started 8/19/85 19 85 Completed 9/2 1985				
(9) CONSTRUCTION: Special standards: Yes \(\sigma\) No \(\frac{\pi}{\sigma}\)	Date well drilling machine moved off of well 9/3/85 1985				
Well seal—Material used	Drilling Machine Operator's Certification:				
well sealed from land surface to	This well was constructed under my direct supervision. Metarials used				
Diameter of well bore to bottom of sealin.	and information reported above are true to my best knowledge and belief.				
Diameter of well bore below seal	[Signed] Date 10/1, 1985				
Number of sacks of cement used in well sealsacks	Drilling Machine Operator's License No571				
How was cement grout placed?					
	Water Well Contractor's Certification:				
Was pump installed? Yes Type FW HP 3 Depth 112 ft.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.				
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	Name Harry Douthit Well Drilling				
Did any strata contain unusable water?   Yes   No	Address 3343 Browns Creek Rd. The Dalles, Ore.				
Type of Water? depth of strata	pl I letter				
Method of sealing strata off	[Signed] June 1				
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Contractor) Contractor's License No571				
Gravel placed from	1907				