NOTICE TO WATER WELL CONTRACTOR
The original and first copy of the left E V FAPER WELL REPORT
are to be filed with the

WATER RESOURCES DEPARTMENT OV 15 1978 STATE OF OREGON
SALEM, OREGON 97310 (Please type or print)
within 30 days from the date
of well completionWATER RESOURCES (INDEDINGLE above this line)

of well completionWATER RESOURCES DEPT. The and		6-1019/	~ ~~~~~~~
SALEM. OREGON	(10) LOCATION OF WELL:		
1) OWNER:	County Wasco Driller's well nu	mber 38	
Richard C. Andserson P+ 1 Rox 120 A. The Dalles, regon 97058	SW4 14 SW4 14 Section 6 T. 2 N	, 12 E	W.M.
ddress Rt. 1 Box 120 A, The Dalles, regon 97058			ft.
	Bearing and distance from section or subdivision East and 10h ft. South of the		
2) TYPE OF WORK (check):	of Lot 5 Davenport Fruit Farms	d CITHODO	
Tew Well ♣ Deepening ☐ Reconditioning ☐ Abandon ☐			
abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 140 ft.		
otary Driven Domestic X Industrial Municipal D	Static level 30 ft. below land s	urface. Date 10,	/20/78
able Detted Invigation Test Well Other	Artesian pressure lbs. per square	e inch. Date	
	and the second s		
CASING INSTALLED: Thresded D Welded \$250	(12) WELL LOG: Diameter of well b	elow casing	
" Diam. from ft. to ft. Gage	Depth drilled 170 ft. Depth of completed well 170 ft.		
	Formation: Describe color, texture, grain size a	and structure of n	naterials;
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratuments with at least one entry for each change of format	m and aquifer pe tion. Report each (netrated, change in
PURPOR A MICHEL	position of Static Water Level and indicate prin	cipal water-bearir	ıg strata.
PERFORATIONS: Perforated? Yes No.	MATERIAL	From To	swL
ype of perforator used	dirt	0 12	
Size of perforations in. by in.	claystone soft brown	12 30	
perforations from ft. to ft.	basalt, black W/ green hard	30 50	
perforations from ft. to ft.	basalt blue verry hard	50 140	
perforations from ft. to ft.	basalt blue verry hard	140 170	130
(7) SCREENS: Well screen installed? Yes 1 No			
Manufacturer's Name			
Type			
Diam. Slot size Set from ft. to ft.			<u> </u>
Diam. Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		<u> </u>	ļ ———
Was a pump test made? 🗌 Yes 🙀 No If yes, by whom?		<u> </u>	ļ
Yield: gal./min. with ft. drawdown after hrs.			
" " "		 	ļ
" " "	1		
		 	
Baller test 2) Ball.			
Artesian flow g.p.m.	Work started Sept 14 19 78 Complete	ted Oct. 31	19 78
perature of water 53 Depth artesian flow encountered ft.			19 78
(9) CONSTRUCTION:	Date well drilling machine moved off of well		
Well seal—Material used	Drilling Machine Operator's Certification	:	
Well sealed from land surface to 18 ft.	This well was constructed under my Materials used and information reported	direct supe	rvision. le to my
Diameter of well bore to bottom of seal	best knowledge and belief.	<i>†</i>	,
Diameter of well bore below seal	[Signed] Jane Hollest	Date Nov.10	, 19
Number of sacks of cement used in well seal 12 sacks	(Drillin Machine Operator) 1113		
How was cement grout placed? mixed & poured	Drilling Machine perator's License No.		
	Water Well Contractor's Certification:		
	This well was drilled under my jurise	diction and this	report is
	true to the best of my knowledge and be	elief.	,
Was a drive shoe used? \square Yes \blacksquare No Plugs Size: location ft.	Name Harry Douthit		
Did any strata contain unusable water? Yes No	(Person, firm or corporation) Rt.4 Box 141 The Da	Type or policy. Ore. 9'	
Type of water? depth of strata	Address Road Box 141 Inc Da	4	/ -
Method of sealing strata off	[Signed] Three In State		
Was well gravel packed? ☐ Yes ♣ No Size of gravel:	[Signed] Water Well Con		
Was well gravel packed? I les I lo Bace of gravel.	Contractor's Licens No 571 Date	lov.10	, 19.7.8
Canatal placed from	•	AND DESCRIPTION OF THE PERSON NAMED OF THE PER	