

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

WASCO

002948

State Well No.

State Permit No.

20/12E-12bc

(1) OWNER:

Name Gene Adkisson
Address 2308 Skyline Rd
The Dalles, OR 97058

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cased Jetted
Drilled Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded
8" Diam. from 0 ft. to 57 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? Yes No.

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Is a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " " "
" " " " "
Air test 50 gal./min. with 65 ft. drawdown after 1 hrs.
Artesian flow g.p.m.
Temperature of water 54° Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used cement grout
Well sealed from land surface to 25 ft.
Diameter of well bore to bottom of seal 12 in.
Diameter of well bore below seal 8 in.
Number of sacks of cement used in well seal 18 sacks
How was cement grout placed? pressure grouted

Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Wasco Driller's well number
SW ¼ NW ¼ Section 12 T. 2 N R. 12 E. W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 40 ft.
Static level 90 ft. below land surface. Date 9-15-79
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 8"
Depth drilled 184 ft. Depth of completed well 184 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil	0	2	
Sand & Rock	2	10	
Sand & gravel	10	20	
Sand/water	20	50	30
Rock, grey	50	75	
Rock, black	75	114	
Rock, broken decomposed	114	135	
Rock, grey	135	140	
Rock, black porous/pyrites	140	155	90
Rock, grey w/clay seams	155	165	90
Rock, black porous	165	175	90
Rock, grey porous w/clay	175	180	90
Rock, grey seams	180	184	90

RECEIVED

OCT-11-1979

WATER RESOURCES DEPT
SALEM, OREGON

Work started Sept. 8 19 79 Completed Sept. 16 19 79
Date well drilling machine moved off of well Sept. 16 19 79

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Gilbert Clayton Date 9-17-79, 19
(Drilling Machine Operator)

Drilling Machine Operator's License No. 129

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Gilbert Clayton Well Drilling
(Person, firm or corporation) (Type or print)

Address Rt 1, Box 61-A, The Dalles, OR 97058

[Signed] Gilbert Clayton
(Water Well Contractor)

Contractor's License No. 569 Date Sept. 17 19 79