NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report ____

are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

(1) OWNER:

TER WELL RESCEIVED

STATE OF OREGON MAR 23 1984

O 3 0 1 8 (Please type or print) MAR 23 1984

O most write aboWATER RESOURCES

State Well No.

Э'n	12E-1811
,	

WATER RESOURCES DEPT. Permit No.							No.	deeperus			
I			ON OF		L ։						
County		Was	300	Dril	ler's	well n	umb	er			
ME	1/2	CTZ	1/ Section	10	T	m O NT	ъ	1013		77	

Name Randy Liden	County Wasco Driller's well number						
Address 5870 Berry Dr.	NE ¼ SE ¼ Section 18 T. T2N R. 12E W.M.						
Parkdale, Oregon	Bearing and distance from section or subdivision corner						
(2) TYPE OF WORK (check):	OLD CATICON WALL						
New Well Deepening Reconditioning Abandon	144						
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.						
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Donth at which western were that a second						
Rotary K Driven Domestic & Industrial Winicipal							
Cable	- 1411 - 1414 Surrection Batte 3-21-84						
	Artesian pressure lbs. per square inch. Date						
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing						
" Diam. from ft. to ft. Gage	Double dutied OCE						
" Diam. from ft. to ft. Gage							
" Diam. from	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,						
PERFORATIONS: Perforated? Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.						
Type of perforator used	MATERIAL From To SWL						
Size of perforations in. by in.	Basalt Hard Gray 334 344						
perforations from ft. to ft.	Basalt Fract Hard Gray W/B 344 347						
perforations from ft. to ft.	Basalt Clay Seams (yellow)						
perforations from ft. to ft.	B1k W/B 347 360						
(7) SCREENS: Well screen installed? ☐ Yes ☑ No	Claystone hard green 360 365 140						
Manufacturer's Name							
TypeModel No.							
Diam. Slot size Set from ft. to ft.							
Diam. Slot size Set from ft. to ft.							
(8) WELL TESTS: Drawdown is amount water level is lowered below static level							
Was a pump test made? 🗌 Yes 🖫 No If yes, by whom?							
yield: gal./min. with ft. drawdown after hrs.							
" " "							
" Air test 19 " 380 Drill stebl 1 hrs							
Poilon tost							
A							
	Work started 3-20- 19 84 Completed 3-21 19 84						
(9) CONSTRUCTION:	Date well drilling machine moved off of well 3-21-84						
Well seal—Material used	Drilling Machine Operator's Certification:						
Well sealed from land surface toft.	This well was constructed under my direct supervision.						
Diameter of well bore to bottom of seal in.	Materials used and information reported above are true to my best knowledge and belief.						
Diameter of well bore below sealin.	[Signed]						
Number of sacks of cement used in well sealsacks							
Now was cement grout placed?	Drilling Machine Operator's License No.						
	Water Well Contractor's Certification:						
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.						
Vas a drive shoe used? 🗌 Yes 🙀 No Plugs Size: location ft.	Name Marinelli & Austin Drilling Co.						
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)						
'ype of water? depth of strata	Address P. O. Box 302, The Dalles, Or.						
Method of sealing strata off	[Signed] le Mach Cluston						
Vas well gravel packed? Yes No Size of gravel:	(Water Well Contractor)						
Fravel placed from ft to ft	Contractor's License No. Det 7-21						