NOTICE TO WATER WELL CONTR OF CELVE	
NOTICE TO WATER WELL CONTR DOE CEINGATOR WH The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGONANTE ENGINEER within 30 days from the date SALEM. OREGON	FOREGON WASC State Well No. 2N/13-19-J
	<u> </u>
(1) OWNER: Name Mr. & Mrs. Jack Huffman	(11) LOCATION OF WELL:
Deute II Miss Detlas: Organon OTOF9	County Wasco Driller's well number
Address Route 4, The Dalles, Oregon 97050	AW 1/4 AFF 1/4 Section / 9 T. 2 N R. / 3 F- W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well Deepening Reconditioning Abandon I If abandonment, describe material and procedure in Item 12.	4. 4.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	
Rotary Driven   Cable X   Jetted Domestic   X Industrial   Municipal	(12) WELL LOG: Depth drilled 152 Diameter of well below casing 6" ft. Depth of completed well 152 ft.
CASING INSTALLED: Threaded □ Welded ⊠ 6." Diam. from 0 ft. to 34 ft. Gage .250	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change = in position of Static Water Level as drilling proceeds. Note drilling rates.
" Diam. from ft. to ft. Gage	MATERIAL From To SWL
ft. to ft. Gage	Rock, broken 0 12
PERFORATIONS: Perforated? [] Yes XNo.	Clay, brown sandy 12 24
ryp. f perforator used	Rock, gray broken 24 29 Rock, gray/seams 29 36
Size of perforations in. by in.	Rock, gray/seams 29 36 Rock, black 36 79 26
perforations from ft. to ft.	Crevise 79 89 26
	Rock, gray/green seams 89 110 26
perforations from ft. to ft.	Rock, gray/lignite seam 110 115 26
perforations from ft. to ft.	Rock, gray/green seams 115 152 26
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? 🗆 Yes 🛣 No	
Manufacturer's Name	Y.     100.     1
Type	
Diam.     Slot size     Set from     ft. to     ft.       Diam.     Slot size     Set from     ft. to     ft.	
	· · · · · · · · · · · · · · · · · · ·
(8) WATER LEVEL: Completed well. Static level 26 ft helow land surface Data 10-6-70	
A	
tian pressure lbs. per square inch Date	÷
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Z Yes D No If yes, by whom? Driller	
Yield: 19 gal./min. with $34$ ft. drawdown after 1 hrs.	Work started Aug. 22, 1970 Completed Oct. 7, 1970
	Date well drilling machine moved off of well October 7, 1970
" " " " "	Drilling Machine Operator's Certification:
Bailer test gal./min. with ft. drawdown after hrs.	This well, was constructed under my direct supervision. Mate- rials used and information reported above are true to my best
Artesian flow g.p.m. Date	knowledge and belief.
Temperature of water 54° Was a chemical analysis made? $\Box$ Yes 🕅 No	[Signed] Suburt lien for Date Meth J., 1970
(10) CONSTRUCTION:	(Drilling Machine Operator) Drilling Machine Operator's License No.
Well seal-Material used Bentonite	
Depth of seal	Water Well Contractor's Certification:
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? 🖾 Yes 📋 No	NAME Bert Clayton & Son
Did any strata contain unusable water? 🗌 Yes 🕅 No	(Person, firm or corporation) (Type or print) Address 2313 E. 10th St., The Dalles, Ore.
Type of water? depth of strata	Address 2313 E. 10th St., The Dalles, Ore.
Method of sealing strata off	Isignal Bert Mailter
Was well gravel packed? Ves 😰 No Size of gravel:	[Signed](Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 54 Date Nov. 3, 1970
	IEETS IF NECESSARY)