•		1					da
STATE ENGINEER Salem, Oregon	WASE 003322	Well	Record	COL	TE WELL I	00	-32J(3)
OWNER: Chenowit	h Irrigation Coop	9	MAILING ADDRESS:				
LOCATION OF WE	LL: Owner's No	1	CITY AND	The D	alles, Ore	gon	
NE 1/4 SE 1/4 Sec						<u> </u>	
Bearing and distance			., ** .171.				
corner							
			*******	i			
			990400000000				
***************************************	3.50						
Altitude at well							
TYPE OF WELL:d					. 32		
Depth drilled 258	Depth cased	d±2		Sect	ion 32		
CASING RECORD:	- FROM 0 TO 13						
FINISH:							
AQUIFERS:	riccia (?) from 2	37 to 248	ft.				
WATER LEVEL:	ft. below land su	rface, Ma	y 1946				
PUMPING EQUIPM Capacity	IENT: Type G.P.M.					H.P	
WELL TESTS:	t. after		hours	_pumping_	920	-41 <i>-5</i> -46-46-7-4-4-4-4-	G.P.M.
	ft. after						
USE OF WATER SOURCE OF INFOI DRILLER or DIGG	public supply RMATION U-	203 - GA	Temp. 70) °F. <u>M</u>	9.Y		, 19.46
	A: ter Level Measureme						

REMARKS:

STATE ENGINEER Salem, Oregon

State Well No	2N/13-32J(3)
County Wa	800
	x113230 U-203

Well Log

riller:	Date Dri	lled 1946	
CITADA COMED OM MATATROTAT	The second secon	w land surface)	Thickness (feet)
(Measurements are from drilling platform 14" above L.S.D.) Soil, sandy	6	10	16
Rock, gray, very hard	10	45	35
Rock, porous, some water	45	60	15
Rock, solid gray	60	63	3
Rock, black porous	63	69	6
Rock, hard gray	69	71	2
Rock, black, perous	71	75	4
Rock, gray hard	75	78	3
Rock, black, porous	78	82	4
Rock, gray, hard	82	85	3
Clay, yellow & blue, black rock & trace of grav	el 85	90	5
Rock, black	90	96	6
Blue clay, black & white rock some water	96	105	9
races of blue clay, gray, black & white rock	105	162	57
Traces of blue clay, black porous rock,			
traces of pyrite of iron	162	169	7
Rock, red, porous, and some iron pyrite	169	181	12
Rock, gray, porous, and some iron pyrite	181	188	7
Red and black rock, trace of iron pyrite	188	190	2
Rock, hard, gray	190	192	2
Rock, very hard, red and gray	192	203	11
Rock, very hard, gray	203	237	34
<u>r</u> .			

STATE ENGINEER Salem, Oregon

State	Well	No.	2N/13-32J(3)
Coun	ty	Wasc	30
Appli	cation	ı No.	U-203

Well Log

	OWINCE,	0		
-	Driller:	Date Drille	ed 1946	,
, 	CHARACTER OF MATERIAL	(Feet below-)	and surface) To	Thickness (feet)
		FIOIL		
	Rock, porous, water bearing, red and black,			
	solid pieces of pyrite of iron,			
	water crystals(quartz?) and water sediments	237	2 4 8	11
es central et a la l	Rock, red and black, very fine cuttings	248	251	3
	Rock, hard, gray	251	258	7
MARCON Y GROUN DO				
resource on week				
Mor va Angular				
oo madaan ka				
2 4 4 43 43 43 43 43 43 43 43 43 43 43 43		· · · · · · · · · · · · · · · · · · ·		
**				
- av. P W 22				
A				
F. <u>S</u>				
e i kanada maritiris		<u> </u>		
and the second of the second of		_		
<u>.</u>				
The second second second				
			4	