WATER WELL REPORT

STATE OF OREGON

RECEIVED 2N/14E-31d

NOV 19 1981 State Permit No.
WATER RESOURCES DEPT

SALEM. OREGON

A) OWNED.	(10) LOCATION OF WELL:
1) OWNER:	County UASCO Driller's well number
vame Series Waters	CF 4 SE 4 Section 3 / T. 2N R. 14E W.M.
Address 1334 Say 444	Tax Lot # Lot Blk Subdivision
A COOK	Address at well location:
2) TYPE OF WORK (check): (\(\int \)	
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	(11) WATER LEVEL: Completed well.
f abandonment, describe material and procedure in Item 12.	Depth at which water was first found 163 ft.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level / 5 ft. below land surface. Date 9-23-8
Rotary Air Driven Domestic Industrial Municipal	Artesian pressure lbs. per square inch. Date
y Mud Dug Irrigation Test Well Other	
Saile	(12) WELL LOG: Diameter of well below casing
(5) CASING INSTALLED: Steel Plastic	Formation: Describe color, texture, grain size and structure of materials; and show
Threaded Welded 4	thickness and nature of each stratum and aquifer penetrated, with at least one entry
Diam. from	for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
" Diam. from	
LINER INSTALLED:	MATERIAL From To SWL
6."Diam. from 5. ft. to 9.5. ft. Gauge 250	3011 800 5
(6) PERFORATIONS: Perforated? Yes Ano	Broken BASAIT 5 10
Type of perforator used	Black BASAIT + Brown 12 85
Size of perforations in. by in.	Black BASAIT + BROWN 12 85
perforations from	Black BAS alk & yollow Clarks 145
perforations from ft. to ft.	Dia Bung Radi L XX
perforations from ft. to ft.	BlACK HAND BASAIT 155 163
(7) SCREENS: Well screen installed? Yes	B/ACK BOX'S BAJAIT 163 178 1/20
Manufacturer's Name	BIACK + Grev BASAIT 128 255
Manufacturer's Name Type	B/ACK R ASalt 255 310
Diam. Slot Size Set from ft. to ft.	BIACHBROWN BASAL 310 345
Diam. Slot Size Set from ft. to ft.	Black Boyal Tyloree-Tologes 365 Ho
Drawdown is amount water level is lowered	THE PARTY OF THE P
(8) WELL TESTS: below static level	
a pump test made?	
Yield: 75 gal./min. with ft. drawdown after hrs.	
<u>"</u> " " " "	
Air test 75 gal./min. with drill stem at ft. hrs.	
Bailer test gal./min. with ft. drawdown after hrs.	
ian flow g.p.m.	
Temperature of water Depth artesian flow encountered ft.	Work started 9-20 198 Completed 9-23 198
(9) CONSTRUCTION:) Special standards: Yes \(\text{No } \text{ No } \(\text{S} \)	Date well drilling machine moved off of well 9-24 1986
Well seal—Material used CEMENI	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore to bottom of seal in.	[Signed] Date 0-20 195
Diameter of well bore below seal in.	(Drilling Machine Operator)
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No.
How was cement grout placed?	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to
Was pump installed?	the best of my knowledge and belief.
Was a drive shoe used? Yes Plugs Size: location	Name (Power Grade or portion)
Did any strata contain unusable water? Yes Lean Size location	Address T. DOX 1 / 167 Kock Cha
Type of Water? depth of strata	Track Land
Method of sealing strata off	[Signed] (Water Well Contractor)
Was well gravel packed? ☐ Yes L.No Size of gravel:	Contractor's License No. 739 Date 10-20 1951
Gravel placed from	