

WATER WELL REPORT

STATE OF OREGON

WASCO 003367

G-1707

also G-3708

2N/15-17R1

State Well No.

State Permit No.

G-1567

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

(1) OWNER: The United States of America, represented by the Corps of Engrs. U.S. Army Engineer District, Portland Address Celilo Falls, Oregon

(11) WELL TESTS: Drawdown is amount water level is lowered below static level H.I. Bottner

Table with 4 columns: Yield, gal./min. with, ft. drawdown after, hrs. Values: 150, 225, 275; 10, 6, 8; 3, 3, 2

(2) LOCATION OF WELL: County Wasco Owner's number, if any- 1/4 1/4 Section T. R. W.M. Bearing and distance from section or subdivision corner 850 ft. N 57° 45' W of SE corner Sec 17, T2N, R15E, W.M. being within the Govt. Lot 1 (SE1/4 SE 1/4) of Sec. 17, Twp. 2N, R. 15EW

Baller test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water 58 Was a chemical analysis made? Yes No

(12) WELL LOG: Diameter of well 8 inches. Depth drilled 97 ft. Depth of completed well 97 ft.

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

(3) TYPE OF WORK (check): New Well Deepening Reconditioning Abandonment

PROPOSED USE (check): Domestic Industrial Municipal Irrigation Test Well Other (5) TYPE OF WELL: Rotary Cable Dug Driven Jetted Bored

Table with 3 columns: MATERIAL, FROM, TO. Lists materials like Blown sand, sand and gravel, yellow sand, loose sand and gravel, gravel and boulders, loose sand and gravel, water bearing gravel, water bearing sand and gravel, tight sand and gravel, water sand and gravel, water gravel.

(6) CASING INSTALLED: Threaded Welded 8" Diam. from 0 ft. to 97 ft. Gage 322

(7) PERFORATIONS: Perforated? Yes No Type of perforator used one way drive down SIZE of perforations 1 1/4 in. by 3/8 in. 3 rows 150 perforations from 85 ft. to 92 ft.

(8) SCREENS: Well screen installed Yes No Manufacturer's Name Model No. Slot size Set from ft. to ft.

Work started 7/25 1960. Completed 8/18 1960

(9) CONSTRUCTION: Was well gravel packed? Yes No Size of gravel: Gravel placed from ft. to ft. Was a surface seal provided? Yes No To what depth? 38 ft. Material used in seal- bentonite, sand and clay Did any strata contain unusable water? Yes No Type of water? Depth of strata Method of sealing strata off

(13) PUMP: Manufacturer's Name Type: Deep well vertical turbine H.P. 7 1/2

Well Driller's Statement: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

(10) WATER LEVELS: Static level 13 ft. below land surface Date 8/18/60 Artesian pressure lbs. per square inch Date

NAME H.I. Bottner Drilling Co. (Person, firm, or corporation) (Type or print) Address 11544 N.E. Glisen Portland, Ore. Driller's well number [Signed] H.I. Bottner (Well Driller) License No. 102 Date 8/20, 1960

Log Accepted by: [Signed] (Owner) Date, 19