

RECEIVED  
DEC 21 1960  
STATE ENGINEER  
SALEM, OREGON  
WASCO

(1) OWNER:

Name Wanic water Co op Ass'n  
Address Wanic Ore

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made?  Yes  No If yes, by whom B. DePriest  
Yield: 26 gal./min. with 29 ft. drawdown after 1 hrs.  
" 42 " " 50 " " 43 "

(2) LOCATION OF WELL:

County Wasco Owner's number, if any 003590  
Bearing and distance from section or subdivision corner

Bailer test gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow g.p.m. Date \_\_\_\_\_  
Temperature of water 53 Was a chemical analysis made?  Yes  No

(12) WELL LOG:

Diameter of well 8 inches.

Depth drilled 255 ft. Depth of completed well 255 ft.

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Soil & boulders	0	5
Bonded boulders	5	20
Cement gravel	20	45
Conglomerate brown	45	78
Grey hard rock	78	93
Conglomerate, brown	93	106
Grey & lavender rock	106	126
Conglomerate, brown	126	131
Lavender rock	131	135
Hard grey rock	135	147
Yellow clay	147	148
Hard grey blue rock	148	156
Lavender rock	156	174
Yellow brown clay	174	175
Grey hard rock	175	177
Brown rock	177	186
Yellow brown rock	186	214
Brown rock	214	240
Black rock	240	255

(3) TYPE OF WORK (check):

New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 11.

(4) PROPOSED USE (check):

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(5) TYPE OF WELL:

Rotary  Driven   
Cable  Jetted   
Dug  Bored

(6) CASING INSTALLED:

Threaded  Welded   
8 " Diam. from \_\_\_\_\_ ft. to 86 ft. Gage 19 lbs  
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_  
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_

(7) PERFORATIONS:

Perforated?  Yes  No

Type of perforator used \_\_\_\_\_  
SIZE of perforations in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(8) SCREENS:

Well screen installed  Yes  No

Manufacturer's Name \_\_\_\_\_ Model No. \_\_\_\_\_  
Type \_\_\_\_\_  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(9) CONSTRUCTION:

Well gravel packed?  Yes  No Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Was a surface seal provided?  Yes  No To what depth? 86 ft.  
Material used in seal— muck  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(10) WATER LEVELS:

Static level 163 ft. below land surface Date 12-15-60  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

Log Accepted by:

[Signed] Edward C. Smith Date \_\_\_\_\_, 19\_\_\_\_  
(Owner)

(13) PUMP:

Manufacturer's Name Myers  
Type: Sub. H.P. 5

Well Driller's Statement:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Bert Clayton  
(Person, firm, or corporation) (Type or print)

Address 2313 E 10 The Dalles, Ore.

Driller's well number \_\_\_\_\_

[Signed] Bert Clayton  
(Well Driller)

License No. 54 Date 12-19, 1960