

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy  
of this report are to be  
filed with the  
STATE ENGINEER, SALEM, OREGON 97310  
within 30 days from the date  
of well completion.

WASCO

WATER WELL REPORT

RECEIVED

STATE OF OREGON

MAY 17 1968

State Well No.

4/13-4 P

003619

(Please type or print)

STATE ENGINEER  
SALEM, OREGON

State Permit No.

G-4412

(1) OWNER:

Name TY9# VALLEY LBR. CO.  
Address TY9# VALLEY ORE

(2) TYPE OF WORK (check):

New Well  Deepening  Reconditioning  Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary  Driven   
Cable  Jetted   
Dug  Bored

(4) PROPOSED USE (check):

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(5) CASING INSTALLED:

Threaded  Welded

10" Diam. from 0 ft. to 100 ft. Gage 350  
" Diam. from ft. to ft. Gage  
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated?  Yes  No.

Type of perforator used

Size of perforations 5/16 in. by 3 in.  
280 perforations from ft. to ft.  
perforations from 20 ft. to 100 ft.  
perforations from ft. to ft.  
perforations from ft. to ft.  
perforations from ft. to ft.

(7) SCREENS:

Well screen installed?  Yes  No

Manufacturer's Name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 5 ft. below land surface Date 5/13/68

Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made?  Yes  No If yes, by whom? OWNER

Yield: 200 gal./min. with 7 ft. drawdown after 3 hrs.

Baller test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m. Date

Temperature of water Was a chemical analysis made?  Yes  No

(10) CONSTRUCTION:

Well seal—Material used BENTONITE

Depth of seal 20 ft.

Diameter of well bore to bottom of seal 14 in.

Were any loose strata cemented off?  Yes  No Depth

Was a drive shoe used?  Yes  No

Did any strata contain unusable water?  Yes  No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed?  Yes  No Size of gravel:

Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County WASCO Driller's well number 46  
SE 1/4 SW 1/4 Section 4 T. 4S R. 13E W.M.  
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing

Depth drilled 105 ft. Depth of completed well 105 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
ROCK	0	8	
FINE GRAVEL-SAND	8	20	5
COURSE GRAVEL	20	90	5
CLAY	90	92	5
BOULDERS	92	105	5

Work started 4/28 1968 Completed 5/13 1968

Date well drilling machine moved off of well 5/15 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] J.T. Brown Date 5/14, 1968  
(Drilling Machine Operator)

Drilling Machine Operator's License No. 413

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME J.T. BROWN & SON  
(Person, firm or corporation) (Type or print)

Address GRASS VALLEY ORE

[Signed] J.T. Brown  
(Water Well Contractor)

Contractor's License No. 440 Date 4/14, 1968