WASSIC

NOTICE TO WATER WELL CONTRACTOR The original and first conv

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT 03768

STATE OF OREGON (Please type or print)

State Well No. 6/16-2
State Permit No.

or wen completion.			
(1) OWNER:	(11) WELL TESTS: Drawdown is amount v lowered below static lev	vater level vel	is
Name Hinton and Ward DEGE VE	Was a pump test made? 🗌 Yes 🚻 No If yes, by whom	.?	
Address Maupin, Oregon AUG 1 0 1955	Yield: gal./min. with ft. drawdow	n after	hrs.
	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,		
(2) LOCATION OF WELL: STATE ENGINEER	" " "		
SALEM OREGON	Bailer test gal./min. with ft. drawdo	wn after	hrs.
County Wasco Driller's well number	Artesian flow 15 g.p.m. Date Dec	1960	
14 14 Section 2 T. 6S R. 16E W.M.	Temperature of water Was a chemical analysis n	nade? 🔲 Y	es 🐰 No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below cas	.i	in.
and the second s	Diameter of wen below cas		
	Depth drilled 108 ft. Depth of completed well		
	Formation: Describe by color, character, size of material show thickness of aquifers and the kind and nature of ti stratum penetrated, with at least one entry for each ch	and struc	ture, and
	stratum penetrated, with at least one entry for each ch	ange of f	ormation.
	MATERIAL	FROM	то
(3) TYPE OF WORK (check):			
	Broken gravel & silt	0	11
	Dense basalt	11	<u> 26</u>
andonment, describe material and procedure in Item 12.	Fractured basalt & tuff	26	32_
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Dense basalt (occasional fracture)	32	94
Botary □ Driven □	" (milky color)	94	108
Domestic ☐ Industrial ☐ Municipal ☐ Cable Z Jetted ☐ Irrigation ☐ Test Well ☐ Other Z Cable Z Jetted ☐	·	į	
Dug Bored			
(6) CASING INSTALLED: Threaded □ Welded ♥			
ft. To ft. Gage		<u> </u>	
ft. to ft. Gage			
(7) PERFORATIONS: Perforated? ☐ Yes X No			
Type of perforator used			
Size of perforations in. by in.			
perforations from ft. to ft.	W. H. Walletter		
perforations fromft. toft.			
perforations from ft. to ft.	-		
perforations from ft. to ft.			·
perforations from ft. to ft.			
(8) SCREENS: Well screen installed? I Ves X No.			
West boroom mistance. — Tes Est 100			
Manufacturer's Name			
Model No.			
Brand Slot size Set from ft. to ft.	Work started December 19 60 Completed De	cember	19 60
Diam Slot size Set from ft. to ft.	Date well drilling machine moved off of well		19
(9) CONSTRUCTION:	(13) PUMP:		
	(15) 1 CM11.		
Well seal—Material used in seal casing imbedded in cement	Manufacturer's Name		**********
Depth of seal	Type: H	I.P	
Diameter of well bore to bottom of seal in.	YYT-A YYT-II Cododii Coddii		
Were any loose strata cemented off? Yes No Depth	Water Well Contractor's Certification:		
Was a drive shoe used? ☐ Yes ☐ No	This well was drilled under my jurisdiction a	nd this	report is
Was well gravel packed? ☐ Yes 🕅 No Size of gravel:	true to the best of my knowledge and belief.		v 20
Gravel placed from ft. to ft.	NAME BONT Abnoma		
**************************************	NAME Bert Abrams (Person, firm or corporation) (Type or print)		
Did any strata contain unusable water? Yes A No	Address P. O. Box 726, Madras, Or		
Type of water? depth of strata	LACOL COD	···*:6.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	••••••
Method of sealing strata off	Drilling Machine Operator's License No		
(10) WATER LEVELS:	1 1 -		
Static level F7 crime at the contract of the c	[Signed] /s/ Bert Abrams (Water Well Contractor)		
Static level Flowing ft. below land surface Date 12:60			
Artesian pressure lbs. per square inch Date	Contractor's License No70 DateDec.	<u>1</u> 4	., 19.6Q.