NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the SEP 2.9 1070 (1880 type of 1970) STATE ENGINEER SALEM OREGON 97310			
STATE ENGINEER, SALEM, OREGON 97310 291970 (Tele type within 30 days from the date 147)	STATE ENGINEED Permit N	1	······································
of well completion. SALEM OR (Do not write about	SALEM ORDSON G5619	Well #Z	
(1) OWNER:	(10) LOCATION OF WELL:		
Name E, ASHLEY	County Driller's well number		
Address ANTALOPE (ORF. 003891	S.F 14N E 14 Section 20 T. 8 S R. 16 EW.M.		
	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):			
New Well Deepening Reconditioning Abandon			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.		
Rotary Driven Domestic Industrial Municipal	Static level / ft. below land surface. Date SEPT 1476		
Cable (Jetted)			
Dug	Artesian pressure lbs. per square inch. Date		
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well 1	relow casing	8
" Diam. fromft. toft. Gage	Depth drilled 350 ft. Depth of completed well 350 ft.		
ft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials;		
ft. to	and show thickness and nature of each stratum and aquifer penetrated,		
(C) DEDEOD A TYONG	with at least one entry for each change of forma position of Static Water Level and indicate prin	tion. Report each	change in ing strata.
PERFORATIONS: Perforated? Yes No.			1
pe of perforator used	MATERIAL	From To	SWL
Size of perforations in. by in.	BLUE-GREEN SHALE	200 207	2
perforations from ft. to ft.	HARD GREY CLAY	207 232	-
perforations from ft. to ft.	" BLUE IL	232247	<u> </u>
perforations fromft. toft.	ic ic ic with		
(F) CODERIG.	SAND AND GRAVEL	247 301	
(7) SCREENS: Well screen installed? Yes No	GREY CLAY WITH SAND	301 334	0
Manufacturer's Name	GREY LAVA	334 350	 -
Type Model No.			
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.			
Diami, Stot size Set from It. to It.		 	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	,		
Was a pump test made? Tyes \(\subseteq \) No If yes, by whom? \(\frac{1}{2} \), ASHLE \(\frac{1}{2} \)			
	¥2.4		
Yield: 550 gal./min. with / 8 ft. drawdown after / hrs.	- A		T
" " "			
n n	••		
Bailer test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.	- ·- · —		
Temperature of water \$ Depth artesian flow encountered ft.	Work started AUG 26 1970 Complete	ed SEPT /	4 1970
CONCENTION	Date well drilling machine moved off of well	SEPT 1	T 19 70
(3) CONSTRUCTION:			
Well seal—Material used	Drilling Machine Operator's Certification: This well was constructed under my direct supervision.		
Well sealed from land surface to ft.	Materials used and information reported		
Diameter of well bore to bottom of seal in.	best knowledge and belief.		
Diameter of well bore below seal in.	[Signed] Laurence Pawaleahi Date SEPT 27, 1970 (Drilling Machine Operator)		
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No		
Number of sacks of bentonite used in well seal sacks			
Brand name of bentonite	Water Well Contractor's Certification:		
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is		
of water lbs./100 gals.	true to the best of my knowledge and belief.		
Was a drive shoe used? Yes No Plugs Size: location ft.	Name ZAWRENCE KOW (Person, firm or corporation)	(Type or p	
Did any strata contain unusable water?	7 111. 1181 Addhing a		
Type of water? depth of strata	Address 141-422 MADMAS CORE		
Method of sealing strata off	[Signed] Laurence Howalish		
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Contractor) Contractor's License No 209 Date SEPF27, 1970		
Gravel placed from ft. to ft.	Contractor's License No 201 Date	26 5 1-2	/, 19. //