

The original and first copy of this report are to be filed with the

RECEIVED JUN 15 1971

WATER WELL REPORT

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date of well completion.

STATE ENGINEER SALEM, OREGON

(Please type or print)

(Do not write above this line)

State Well No. 8/16-20 da

State Permit No. well #2

G5619 WASCO

WASCO

(1) OWNER:

Name E. ASHLEY Address ANTALOPE, ORE. 003892

(10) LOCATION OF WELL:

County Driller's well number S.E. 1/4 N.E. 1/4 Section 20 T. 8 S R. 16 E W.M. Bearing and distance from section or subdivision corner

(2) TYPE OF WORK (check):

New Well [ ] Deepening [ ] Reconditioning [ ] Abandon [ ] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Cable [ ] Dug [ ] Driven [ ] Jetted [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ]

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft. Static level 0 ft. below land surface. Date JUNE 2, 1971 Artesian pressure lbs. per square inch. Date

CASING INSTALLED:

10" Diam. from 0 ft. to 50 ft. Gage 250 WALL Threaded [ ] Welded [ ]

PERFORATIONS:

Perforated? [ ] Yes [ ] No

Type of perforator used

Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [ ] Yes [ ] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [ ] Yes [ ] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal-Material used CEMENT Well sealed from land surface to 20 ft. Diameter of well bore to bottom of seal 14 in. Diameter of well bore below seal 12 in. Number of sacks of cement used in well seal 8 1/2 sacks Number of sacks of bentonite used in well seal Brand name of bentonite Number of pounds of bentonite per 100 gallons of water Was a drive shoe used? [ ] Yes [ ] No Plugs Size: location ft. Did any strata contain unusable water? [ ] Yes [ ] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [ ] Yes [ ] No Size of gravel: Gravel placed from ft. to ft.

(12) WELL LOG:

Diameter of well below casing 8 ft. Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with 4 columns: MATERIAL, From, To, SWL. Content: JOB CONSISTED OF: PULLING 40' 8" CASING AND INSTALLING 50' 10" CASING.

Work started MAY 28 1971 Completed JUNE 2 1971 Date well drilling machine moved off of well JUNE 2 1971

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Lawrence Kowaleski Date JUNE 13, 1971 (Drilling Machine Operator)

Drilling Machine Operator's License No. 1

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name LAWRENCE KOWALESKI (Person, firm or corporation) (Type or print)

Address 741-4 MADRAS ORE

[Signed] Lawrence Kowaleski (Water Well Contractor)

Contractor's License No. 209 Date JUNE 13, 1971