NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the OF OREGON STATE ENGINEER, SALEM, OREGON 97310 TIJ/U(Please type or print) within 30 days from the data TATE ENGINEER above this line) State Permit No. (10) LOCATION OF WELL: (1) OWNER: County WASCO Driller's well number SF. 4SF 4 Section 21 T. 8 ... R. 16 Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): REFMING Reconditioning [New Well [Deepening [Abandon [7] If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Driven | Rotary Domestic | Industrial | Municipal | Static level ft. below land surface. Date # UC Jetted 🗀 Cable Irrigation Test Well | Other Dug Bored Artesian pressure Ibs. per square inch. Date CASING INSTALLED: Threaded [Welded 1 (12) WELL LOG: Diameter of well below casing . 12 " Diam. from O ft. to 31 ft. Gage 2"WALL ft. Depth of completed well 9 44 Depth drilled " Diam. from ft. to ft. Gage Formation: Describe color, texture, grain size and structure of materials; ..." Diam. from _____ ft. to ____ ft. Gage and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? | Yes | No. MATERIAL e of perforator used From Size of perforations in. by WELL WAS REEMED 12" DIA FROM O' _____ ft. to _____ ft. 150 BELOW LAND perforations from _____ ft. to SURFACE, BALANCE OF HOLE FROM 150' TO 248 (7) SCREENS: Well screen installed? Yes No 15 10' 014. Manufacturer's Name Model No. Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? ☐ Yes ☐ No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. gal./min. with ft. drawdown after paner test hrs. Artesian flow g.p.m. 1970 Completed AUG 14 1970 Temperature of water Depth artesian flow encountered .. Work started AUG 5 Date well drilling machine moved off of well AUA 17 19 70 CONSTRUCTION: Well seal-Material used BENTONITE Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my Diameter of well bore to bottom of seal 16 in. best knowledge and belief. Diameter of well bore below seal ______in. [Signed] Lawrence Howalishi Date SEPT 3, 1970 (Drilling Machine Operator) Number of sacks of cement used in well seal Drilling Machine Operator's License No. Number of sacks of bentonite used in well seal . Brand name of bentonite LAVA Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used?

Yes To Plugs Size: location ft. Name LAWRENCE KOWALL Did any strata contain unusable water?

Yes

No Type of water? Method of sealing strata off

Contractor's License No. 90 9 Date SEPT

Was well gravel packed? Yes No Size of gravel: .

Gravel placed from ft. to