UEARIAED

APR 2 0 1998

Well I.D. No. L 10359

STATE OF OREGON WELL I.D.#	Well I.D. No. L 10359	
WATER SUPPLY WINATURE RESOURCES DEPT.		
(as required by ORS 537.765) SALEM, OREGON Instructions for completing this report are on the last page of this form.	(START CARD) # W 095953	
	(A) A C C ATTON O THE PARTY OF	
(1) OWNER: Well Number	(9) LOCATION OF WELL by legal description: County Wasco Latitude Longitude	
Address 5650 Eight Mile Rd	County Wasco Latitude Longitude Township 1 S N or S Range 14 E E or W.	7 33/3.6
City The Dalles State OR Zip 97058	Section 31 NE 1/4 NE 1/4	. W IVI.
(2) TYPE OF WORK	Tax Lot 5500 Lot Block Subdivision	
New Well Deepening Alteration (repair/recondition) Abandonment	Street Address of Well (or nearest address) Farger Rd Dry Creek, Dufur OR	
(3) DRILL METHOD:	Farger Rd Dry Creek, Dufur OR	
Rotary Air Rotary Mud Cable Auger	(10) STATIC WATER LEVEL:	0 00
Other	ft. below land surface. Date 4-18	<u>3-98</u>
Domestic Community Industrial Mirrigation	Artesian pressure lb. per square inch. Date lt. WATER BEARING ZONES:	
Thermal Injection Livestock Other	(11) WILDE BEING ZONES.	
(5) BORE HOLE CONSTRUCTION:	Depth at which water was first found 145 ft	
Special Construction approval Yes No Depth of Completed Well 500 ft.		
Explosives used Yes No Type Amount	From To Estimated Flow Rate	sw
HOLE SEAL	145 177 25 GPM	99
Diameter From To Material From To Sacks or pounds	390 430 380 GPM	3
12" 28 212 cement 0 212 53 sacks		
10" 212 258		
8" 258 500	(12) WELLLOC.	
How was seal placed: Method A B B C D E	(12) WELL LOG: Ground Elevation Approx. 1400 ft	
Other		
Backfill placed from ft. to ft. Material	Material From To	SWL
Gravel placed from ft. to ft. Size of gravel	Soil 0 1	
(6) CASING/LINER:	Large boulder 1 3	
Diameter From To Gauge Steel Plastic Welded Threaded Casing: 10 +2 212 250 X	Rock, decomposed 3 21 Rock, broken grav 21 29	_
Casing: 10 72 212 250 X		
	Rock, gray 29 51 Rock, brown decomposed 51 76	
	Rock, gray 76 145	
Liner:		99
	Rock with green clay 177 184	
Final location of shoe(s) 212	Rock, gray 184 202	
(7) PERFORATIONS/SCREENS:	Rock with green clay 202 207	
Perforations Method	Rock, gray 207 240	
Slot Tele/pipe		39
From To size Number Diameter size Casing Liner	, , , , , , , , , , , , , , , , , , , ,	<u>39</u> .39
	300701	39
(O) WELL TECTO, M. J.	Dec 20 1007 Manal 10	300
(8) WELL TESTS: Minimum testing time is 1 hour		199
Flowing Pump Bailer Air Artesian	(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandon.	
Yield gal/min Drawdown Drill stem at Time	of this well is in compliance with Oregon water supply well construction stand	darde
380 121 3 1 hr.	Materials used and information reported above are true to the best of my know and belief.	wledge
	WWC Number	
	Signed Date	
Temperature of water 73° Depth Artesian Flow Found	(bonded) Water Well Constructor Certification:	
Was a water analysis done? Yes By whom	I accept responsibility for the construction, alteration, or abandonment work	rk
Did any strata contain water not suitable for intended use? Too little	performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well	
Salty Muddy Odor Colored Other Depth of strata: 145 to 177	construction standards. This report is true to the best of my knowledge and be	
Deput of Strata	Signed Number 569 Date 4-18	
ORIGINAL & FIRST COPY-WATER RESOURCES DEPARTMENT SEC		
SECOND SE	OND COLF-CONSTRUCTOR INIAD COFF-CUSTOMER	
and the second of the second o	The second secon	