

Instructions for completing this report are on the last page of this form.

(1) LAND OWNER  
Name MONTE B. WASSON  
Address 6808 EIGHT MILE RD  
City THE DALLES State OR Zip 97058

Well Number 1

(2) TYPE OF WORK  New Well  
 Deepening  Alteration (specify condition)  Abandonment  Conversion

(3) DRILL METHOD  
 Rotary Air  Rotary Mud  Cable  Auger  Cable Mud  
 Other \_\_\_\_\_

(4) PROPOSED USE  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other \_\_\_\_\_

(5) BORE HOLE CONSTRUCTION Special Construction:  Yes  No  
Depth of Completed Well 225 ft.  
Explosives used:  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

BORE HOLE			SEAL			Sacks or Pounds
Diameter	From	To	Material	From	To	
14"	0	40	SE	0	40	10 SACKS
18"	40	225				

How was seal placed: Method  A  B  C  D  E  
 Other \_\_\_\_\_

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER

Casing	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
10"	0	35	250		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Liner: \_\_\_\_\_

Drive Shoe used  Inside  Outside  None  
Final location of shoe(s) \_\_\_\_\_

(7) PERFORATIONS/SCREENS  
 Perforations Method \_\_\_\_\_  
 Screens Type \_\_\_\_\_ Material \_\_\_\_\_

From	To	Slot Size	Slot Number	Diameter	Tele/pipe size	Casing	Liner
						<input type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour  
 Pump  Bailor  Air  Flowing Artesian

Yield gpm	Drawdown	Drill stem at	Time
900	700	215	1 HR

Temperature of water 68 Depth Artesian Flow Found \_\_\_\_\_  
Was a water analysis done?  Yes By whom \_\_\_\_\_  
Did any strata contain water not suitable for intended use?  Too little  
 Salty  Mildly  Odor  Colored  Other \_\_\_\_\_  
Depth of strata: \_\_\_\_\_

(9) LOCATION OF WELL (Legal description)  
County WASCO  
Tax Lot 290 Lot \_\_\_\_\_  
Township 1 S Range 13 E WM  
Section 15 SE 1/4 NW 1/4

Lat \_\_\_\_\_ or \_\_\_\_\_ (degrees or decimal)  
Long \_\_\_\_\_ or \_\_\_\_\_ (degrees or decimal)

Street Address of Well (or nearest address) 6808 EIGHT MILE RD THE DALLES OR 97058

(10) STATIC WATER LEVEL  
70 ft. below land surface. Date 09-29-06  
Artesian pressure \_\_\_\_\_ lb. per square inch Date \_\_\_\_\_

(11) WATER BEARING ZONES  
Depth at which water was first found 381

From	To	Estimated Flow Rate	SWL
120	225	900	70

(12) WELL LOG

Material	From	To	SWL
TOPSOIL	0	1	
BROWN CLAY	1	5	
RIVERGRAVEL	5	15	
GRAY & RED SANDS	15	24	
GRAY BASALT, HARD	24	120	70
BROWN BASALT, POROUS	120	135	70
W/YELLOW CLAYSTONE, W.B.	120	135	70
BROWN BASALT, POROUS	135	180	70
WATERBEARING	135	180	70
GRAY BASALT, CHEVISED	180	206	70
WATERBEARING	180	206	70
RED & BROWN BASALT	206	225	70
POROUS, WATERBEARING	206	225	70

Date Started 09-19-06 Completed 09-29-06

(unbonded) Water Well Constructor Certification  
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number 1256 Date 09-29-06  
Signed Paul Moore

(bonded) Water Well Constructor Certification  
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 731 Date 09-29-06  
Signed Charles L Moore

RECEIVED

MAR 27 2007

WATER RESOURCES DEPT  
SALEM OREGON