

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

WASC 52268

WELL I.D. LABEL# L 116066
START CARD # 1025692
ORIGINAL LOG #

3/17/2015

(1) LAND OWNER
Owner Well I.D.
First Name ROY Last Name JUSTESEN
Company
Address 92790 DAVIDSON RD
City TYGH VALLEY State OR Zip 97063

(2) TYPE OF WORK
[X] New Well [] Deepening [] Conversion
[] Alteration (complete 2a & 10) [] Abandonment (complete 5a)

(2a) PRE-ALTERATION
Dia + From To Gauge Stl Plstc Wld Thrld
Casing:
Material From To Amt sacks/lbs
Seal:

(3) DRILL METHOD
[X] Rotary Air [] Rotary Mud [] Cable [] Auger [] Cable Mud
[] Reverse Rotary [] Other

(4) PROPOSED USE
[X] Domestic [] Irrigation [] Community
[] Industrial/ Commercial [] Livestock [] Dewatering
[] Thermal [] Injection [] Other

(5) BORE HOLE CONSTRUCTION
Special Standard [] (Attach copy)
Depth of Completed Well 314.00 ft.

Table with columns: Dia, From, To, Material, From, To, Amt, sacks/lbs. Rows include Cement and Calculated values.

How was seal placed: Method [] A [] B [X] C [] D [] E
[] Other

Backfill placed from ft. to ft. Material

Filter pack from 200 ft. to 296 ft. Material PEA GRAV Size 3/8

Explosives used: [] Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE
Proposed Amount Actual Amount

(6) CASING/LINER
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrld
Shoe [] Inside [] Outside [] Other Location of shoe(s)
Temp casing [X] Yes Dia 10 From 1 To 38

(7) PERFORATIONS/SCREENS
Perforations Method TORCH
Screens Type Material
Perf/ Casing/ Screen Dia From To Scrn/slot Slot # of Tele/
Screen Liner Dia From To width length slots pipe size

(8) WELL TESTS: Minimum testing time is 1 hour
[] Pump [] Bailer [] Air [X] Flowing Artesian
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)
750 0 0 12

Temperature 64 °F Lab analysis [] Yes By
Water quality concerns? [] Yes (describe below) TDS amount 178 ppm
From To Description Amount Units

(9) LOCATION OF WELL (legal description)
County WASCO Twp 3.00 S N/S Range 13.00 E E/W WM
Sec 31 SW 1/4 of the NE 1/4 Tax Lot 3700
Tax Map Number Lot
Lat " or 45.2666667 DMS or DD
Long " or -121.22213889 DMS or DD
[] Street address of well [X] Nearest address

82510 SHADY BROOK RD

(10) STATIC WATER LEVEL
Date SWL(psi) + SWL(ft)
Existing Well / Pre-Alteration
Completed Well 3/14/2015 26 [X] 60.1
Flowing Artesian? [X] Dry Hole? []

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), + SWL(ft). Rows show data for 3/5/2015, 3/9/2015, and 3/13/2015.

(11) WELL LOG
Ground Elevation 1236.00

Table with columns: Material, From, To. Lists geological layers like COBBLES CLAY SILT, CLAY BROWN GRAVELS, etc.

Date Started 3/5/2015 Completed 3/14/2015

(unbonded) Water Well Constructor Certification
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number 758 Date 3/15/2015
Signed THOMAS R PECK (E-filed)

(bonded) Water Well Constructor Certification
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 1720 Date 3/15/2015
Signed JACK ABBAS (E-filed)
Contact Info (optional)

WASC 52268
ABBAS WELL DRILLING
A Division of WEBEDONE, Inc.

(541) 548-2787 | Fax: (541) 923-7509 | PO Box 2130 | Terrebonne, OR 97760

RECEIVED

By gillisbm at 2:14 pm, Dec 23, 2015


December 23, 2015

Water Resources
725 Summer St NE
Salem Ore 97301

Re: well ID# 116066
To Whom It May Concern,

At the time of construction, we had a 10" starter pipe to 38' through the gravel zone. We had a lot of flowing water over 10" pipe, but no way to record the PSI. Until we had a 6" .250 pipe cemented in the well. I believe the two artesian water bearing zones are the same aquifer. The water temperature was the same before and after sealing of the well and the same formation.

Jack Abbas



WWC# 1720 | CCB# 158451

GEOTECHNICAL HOLE REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

WASC 52268

3/17/2015

Map of Hole

