

STATE OF OREGON WATER SUPPLY WELL REPORT

WASC 52858

WELL I.D. LABEL# L

START CARD #

130004

1050519

ORIGINAL LOG #

11/1/2022

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

(1) LAND OWNER

Owner Well I.D.

First Name Last Name Company HYDRO EXTRUSION USA, LLC Address 2929 W. SECOND ST City THE DALLES State OR Zip 97058

(2) TYPE OF WORK

New Well Deepening Conversion

Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thrd Seal: Material From To Amt sacks/lbs

(3) DRILL METHOD

Rotary Air Rotary Mud Cable Auger Cable Mud Reverse Rotary Other

(4) PROPOSED USE

Domestic Irrigation Community Industrial/ Commercial Livestock Dewatering Thermal Injection Other

(5) BORE HOLE CONSTRUCTION

Special Standard (Attach copy)

Depth of Completed Well 318.00 ft.

Table with columns: Dia, From, To, Material, From, To, Amt, sacks/lbs. Rows include Bentonite Chips and Cement.

How was seal placed: Method A B C D E

Backfill placed from ft. to ft. Material

Filter pack from ft. to ft. Material Size

Explosives used: Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount Actual Amount

(6) CASING/LINER

Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd Shoe Inside Outside Other Location of shoe(s)

Temp casing Yes Dia From + To

(7) PERFORATIONS/SCREENS

Perforations Method

Screens Type Material

Table with columns: Perf/Screen, Casing/Liner, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Pump Bailer Air Flowing Artesian

Table with columns: Yield gal/min, Drawdown, Drill stem/Pump depth, Duration (hr)

Temperature 63 F Lab analysis Yes By Eurofins

Water quality concerns? Yes (describe below) TDS amount 97 ppm

Table with columns: From, To, Description, Amount, Units

(9) LOCATION OF WELL (legal description)

County WASC Twp 2.00 N N/S Range 13.00 E E/W WM

Sec 28 SW 1/4 of the SW 1/4 Tax Lot 1100

Tax Map Number Lot

Lat " or 45.62063731 DMS or DD

Long " or -121.20901918 DMS or DD

Street address of well Nearest address

2929 W. SECOND ST

(10) STATIC WATER LEVEL

Date SWL(psi) + SWL(ft)

Table with columns: Existing Well / Pre-Alteration, Completed Well, Date, SWL(psi), SWL(ft)

Flowing Artesian? Dry Hole?

WATER BEARING ZONES

Depth water was first found 156.00

SWL Date From To Est Flow SWL(psi) + SWL(ft)

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), SWL(ft)

(11) WELL LOG

Ground Elevation 146.20

Table with columns: Material, From, To. Lists various geological layers like Top soil, Decomposing basalt, etc.

Date Started 1/18/2021 Completed 4/13/2021

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number Date

Signed

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 1937 Date 11/1/2022

Signed BRENDAN PECK (E-filed)

Contact Info (optional) 509-767-7529

WATER SUPPLY WELL REPORT -
continuation page

WASC 52858

WELL I.D. LABEL# L

130004




START CARD #

1050519

11/1/2022

ORIGINAL LOG #

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
								
								
								
Material		From To		Amt		sacks/lbs		

Water Quality Concerns

From	To	Description	Amount	Units

(5) BORE HOLE CONSTRUCTION

BORE HOLE			SEAL				
Dia	From	To	Material	From	To	Amt	sacks/lbs
			Cement with 3% Bento	20	207	27000	P
						Calculated	17446
						Calculated	
						Calculated	
						Calculated	
						Calculated	

(10) STATIC WATER LEVEL



















SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)

(6) CASING/LINER

FILTER PACK

From	To	Material	Size

(6) CASING/LINER

Casing Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
									
									
									
									
									
									
									
									
									

(7) PERFORATIONS/SCREENS

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ pipe size

(11) WELL LOG

Material	From	To
Gray and red vesicular	214	237
Gray frac brkn basalt (M-S)	237	245
Grey frac brkn basalt (M-H)	245	270
Grey pourous frac basalt (M)	270	290
Gray frac basalt (M-H)	290	320

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

Comments/Remarks

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

WASC 52858


11/1/2022

Map of Hole

**STATE OF OREGON
WELL LOCATION MAP**

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department
725 Summer St NE, Salem OR 97301
(503)986-0900



LOCATION OF WELL
Latitude: 45.62063731 Datum: WGS84
Longitude: -121.20901918
Township/Range/Section/Quarter-Quarter Section:
WM2.00N13.00E28SWSW
Address of Well:
2929 W. SECOND ST

Well Label: 130004
Printed: December 16, 2021

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.
Provided by well constructor

