## WATER WELL REPORT STATE OF OREGON

## RECEIVED

WASH

MAR 41982 WATER RESCURCES DEPT

010305

State Well No.	[5]	2W.26
a 12	Marine (1.	

WATER RESOURC	Rayand
(1) OWNER:	
Raker Rock Crushing Co. Inc.	(10) LOCATION OF WELL:
27990 C W Commington Dd	County Washington Driller's well number
Address 21000 5. W. Fai hilling ton Rd.  City Beaverton, Oregon State 97007	4 4 Section 26 T. 1 S R. 2 W. W.M
State	Tax Lot # Lot Blk Subdivision  Address at well location:
(2) TYPE OF WORK (check):	Address at well location:
New Well □ Deepening □ Reconditioning   Abandon □	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.
	Static level 170 ft. below land surface. Date 2/26/8
Ratary Mud   Dug   Irrigation   Test Well   Other	Artesian pressure lbs. per square inch. Date
☐ Bored ☐ Thermal: Withdrawal ☐ Reinjection ☐	(12) WELL LOG: Diameter of well below casing
(5) CASING INSTALLED: Steel M Plastic	Depth drilled ft. Depth of completed well ft.
Threaded Welded X	Formation: Describe color, texture, grain size and structure of materials; and show
6" Diam. from 315 ft. to 475 ft. Gauge •188	thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level
	and indicate principal water-bearing strata.
LINER INSTALLED:	MATERIAL From To SWL
"Diam. from	X
(6) PERFORATIONS: Perforated?  Yes  No	X
Type of perforator used Torch	x
Size of perforations 1 in. by 12 in.	x
30 perforations from 430 ft. to 470 ft.	x
5 perforations from 380 ft. to 430 ft.	X
perforations from ft. to ft.	X
(E) CODERNO	X
(7) SCREENS: Well screen installed? ☐ Yes X No Manufacturer's Name	X
Type Model No.	X
Diam. Slot Size Set from ft. to ft.	
Diam. Slot Size Set from ft. to ft.	X x
Drouglaver is amount with land in 1	X
(8) WELL TESTS:    Drawdown is amount water level is lowered below static level	X
as a pump test made?   Yes  No If yes, by whom?	x
Yield: X gal./min. with ft. drawdown after hrs.	X
" X " " "	x
Air test X gal./min. with drill stem at ft. hrs.	x
Bailer test X gal./min. with ft. drawdown after hrs.	X
esian flow X g.p.m.	x
Temperature of water X Depth artesian flow encountered ft.	Work started 2/25/82 19 X Completed 2/26/82 19
(9) CONSTRUCTION: Special standards: Yes □ No □	Date well drilling machine moved off of well 2/26/82 19
Well seal—Material used X	Drilling Machine Operator's Certification:
Well sealed from land surface $f x$	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of sealin.	and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal Xin.	[Signed] Date 3/1/829 Date 3/1/829
Number of sacks of cement used in well seal	Drilling Machine Operator's License No. 523
How was cement grout placed?	
X X	Water Well Contractor's Certification:
Was pump installed?Typ HPDepthft.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? ☐ Yes ☐ No Hugs Size: location ft.	Name A. M. JANNSEN WELL DRILLING CO., INC.
Did any strata contain unusable water? $\square$ YX $\square$ No	(Person, firm or corporation) (Type or print)
Type of Water? depth of Zarata	Address 21075 S.W. Tualatin Valley Hwy. Aloha, Or.
Method of sealing strata off X	[Signed] & dad the Jansen
Was well gravel packed? ☐ Yes ☐ No X Size of gravel:	(Water Well Contractor)  Contractor's License No79
Gravel placed fromft. toft.	Contractor's License No