NOTICE TO WATER WELL CONTRACTOR
The original and first copy WATER WELL REPORT of this report are to be 1007 19 1967 STATE OF OREGON State Well No. 1/2w - 28 STATE ENGINEER, SALEM, OREGON 97310 (Please type or print) within 30 days from the date. (Do not write above this line) 010365 State Permit No. ... of well completion. (1) OWNER: (11) LOCATION OF WELL: Name C.E. Hawkinson County Washington Driller's well number Address 26015 S.W. Witch Hazel Rd. T. 1S 14 Section 28 Hillsboro, Oregon Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): No 54 New Well Deepening [Reconditioning [Abandon 🔲 If abandonment, describe material and procedure in Item 12. (3) TYPE OF WELL: (4) PROPOSED USE (check): (12) WELL LOG: Diameter of well below casing Rotary Driven 🗆 Domestic K Industrial | Municipal | Jetted [Depth drilled 175 ft. Depth of completed well Bored [Irrigation | Test Well | Other Formation: Describe color, texture, grain size and structure of materials; CASING INSTALLED: and show thickness and nature of each stratum and aquifer penetrated, Threaded [Welded [with at least one entry for each change of formation. Report each change _______O ft. to 62 ft. Gage \(\frac{1}{2}\)Std in position of Static Water Level as drilling proceeds. Note drilling rates." Diam, from ft. to ft. Gage MATERIAL" Diam. from ft. to ft. Gage Top soil 30 clay - brown PERFORATIONS: Perforated? Tyes X No. 62 22 30 sand - gray- fine Type of perforator used 62 107 107 115 rock- gray Size of perforations in. by 115 gray-little water perforations from ft. to ft. 115 | 150 perforations from ft. to ft. in seams perforations from ft. to 150 160 rock- gray perforations from ft. to ft. black- hard-little 160 170 water in rock seams 170 | 175 rock-loose - water (7) SCREENS: Well screen installed? Yes No Manufacturer's Name Model No. Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft. (8) WATER LEVEL: Completed well. Static level 17 ft. below land surface Date 9/13/67 sian pressure lbs. per square inch Date Drawdown is amount water level is lowered below static level (9) WELL TESTS: Was a pump test made? ☐ Yes ☐ No If yes, by whom? ₁₉ 67 19 67 Completed Sept Work started Sept.2 gal./min. with ft. drawdown after hrs. 19 67 Date well drilling machine moved off of well **Drilling Machine Operator's Certification:** This well was constructed under my direct supervision. Materials used and information reported above are true to my best 40_{ft. drawdown after} Bailer test 30 gal./min. with knowledge and belief. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? ☐ Yes ☐ No (10) CONSTRUCTION: Drilling Machine Operator's License No. 217 Well seal-Material used Betonite Depth of seal 20 Water Well Contractor's Certification:

Signed AH Barron

NAME Barron & Strayer
(Person, firm or corporation) (Type or print)

true to the best of my knowledge and belief.

This well was drilled under my jurisdiction and this report is

Box 254, Beaverton, Ore.

(USE ADDITIONAL SHEETS IF NECESSARY)

Diameter of well bore to bottom of seal

Was a drive shoe used? X Yes 🔲 No

Was well gravel packed? ☐ Yes ☐ No

Method of sealing strata off

Type of water?

Were any loose strata cemented off?

Yes No Depth ...

depth of strata

Size of gravel:

Did any strata contain unusable water? 🔲 Yes 🛣 No

Gravel placed from ft. to