

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

RECEIVED
JUN 27 1969
STATE ENGINEER
SALEM OREGON

WATER WELL REPORT

WASH

STATE OF OREGON
STATE ENGINEER (Please type or print)
within 30 days from the date
of well completion.

010380
G 5203

State Well No. 1/200-2806
State Permit No.

(1) OWNER:

Name C. STARR
Address R2 B1247, HILLSBORO, Ore

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
6" Diam. from ±1 ft. to 50 ft. Gage 12.22
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name Model No.
Type Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level ft. below land surface Date
Man pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
AIR LIFT APPR. 25 gal per min
" " " " " "
Bailer test gal./min. with ft. drawdown after 1 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used 200# Bentonite + Cuttings
Depth of seal 21 ft.
Diameter of well bore to bottom of seal 10 in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County WASH Driller's well number
1/4 1/4 Section 28 T. 15 R. 2W W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6
Depth drilled 120 ft. Depth of completed well 120 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
SOIL	0	3	
CLAY yellow	3	20	
SILT & SAND BLUE	20	37	
LOOSE ROCK & SAND	37	45	
ROCK SOFT	45	60	
ROCK & SLABS of CLAY	60	62	
" HARD	62	81	
" & STREAKS of clay BROWN	81	82	
ROCK BLACK HARD	82	90	
" BROWN SOFT	90	94	
" GREY CHALK	94	97	
" BROWN MED	97	114	
ROCK LOOSE MED	114	120	

Work started 5/16 69 Completed 5/22 1969
Date well drilling machine moved off of well 5/23 1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Felix De Vlaeminck Date 5/26, 1969
(Drilling Machine Operator)

Drilling Machine Operator's License No. 17

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME FELIX DE VLAEMINCK
(Person, firm or corporation) (Type or print)

Address R2 B1492 F, HILLSBORO, ORE

[Signed] Felix De Vlaeminck
(Water Well Contractor)

Contractor's License No. 197 Date 5/26, 1969