## The original and first copies of this report are to be filed with the

STATE OF OREGON

STATE ENGINEER, SALEM, OF TOWNSTILL ENGINEERS type or print) within 30 days from the date SALEM. OF The above this line)



State Permit No.

A Second		
(1) OWNER: WASH	(10) LOCATION OF WELL:	
Name City of Cornelius	Washington	
Address 120 North 13th Avenue 010593	1. 7 C	
Cornelius, Oregon 97113		
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivisi	on corner
New Well X Deepening Reconditioning Abandon	# 2;** L	
If abandonment, describe material and procedure in Item 12.	<u> </u>	
	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 2 81 ft.	
Rotary X Driven Domestic Industrial Municipal Cable Jetted D	Static level 11 ft. below land s	urface. Date 1/31/72
Dug   Bored   Irrigation I Test Well   Other	Artesian pressure lbs. per squar	e inch. Date
CACTAC TAXONATA WAS		
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing 6!	
6 " Diam. from 6-2 ft. to 302100 ft. Gage •250	Depth drilled 100 ft. Depth of compl	700
	Formation: Describe color, texture, grain size and structure of materials;	
ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetrated,	
PERFORATIONS: Perforated? * Yes     No.	with at least one entry for each change of format position of Static Water Level and indicate prin	
Torrordout, 12 Ton 110.		trput water-searing stratu.
Type of perforator used Torch Size of perforations 1/8 x in by 12 in	MATERIAL	From To SWL
	Top soil	0 1
60perforations from80ft. to100ft.	Brown clay	1 9
perforations from ft. to ft.	Blue sandy clay	9 11
perforations from ft. to ft.	Blue clay	11 34
(7) SCREENS: Well screen installed?   Ves   X No	Blue sandy clay	34 39
To an invalided. I to an its	Blue clay	39 81
Manufacturer's Name Model No	Gravel	81 100
Diam. Slot size Set from ft. to ft.		<u> </u>
Diam. Slot size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? ☐ Yes ☒ No If yes, by whom?		
	7	
	्राच्या राज्यात्र । अस्ति । अस अस्ति । अस्ति	*
	A T T S V V L L Japan Market Labor 2 Carry	
" " " " " " " " " " " " " " " " " " " "	The second of th	
Baller test 50 gal./min. with 79 ft. drawdown after 2 hrs.		
Artesian flow g.p.m.		
perature of water Depth artesian flow encounteredft.	Work started 1/21/72 19 Complete	ed 1/31/72 19
(A) CONSERVACION	Date well drilling machine moved off of well	1/31/72 19
(9) CONSTRUCTION:		<u></u>
Well seal—Material used Bentonite	Drilling Machine Operator's Certification:	
Well sealed from land surface toft.	This well was constructed under my Materials used and information reported	above are true to my
Diameter of well bore to bottom of sealin.	best knowledge and belief.	
Diameter of well bore below seal6in.	[Signed   Date 2/10/72, 19 Drilling Machine Operator)  Drilling Machine Operator's License No. 235	
Number of sacks of cement used in well seal		
Number of sacks of bentonite used in well seal sacks  Brand name of bentonite	Diming Machine Operator's License Iyo.	
	Water Well Contractor's Certification:	•
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdi	ction and this report is
of water lbs./100 gals.	true to the best of my knowledge and beli	ief.
Was a drive shoe used? 🗌 Yes 🕱 No Plugs Size: location ft.	Name A. M. Jannsen Drilling Co.	•
Did any strata contain unusable water?   Yes   No	(Person, firm or corporation) 21075 W. Tualatin Va.	(Type or print)
Type of water? depth of strata	Address 210 5 W 1 Ud 1 d Ul Va	Lley Highway, Alc
Method of sealing strata off	Isigned & Vera & VIII.	Made.
Was well gravel packed? $X$ Yes $\Box$ No Size of gravel: $1/1 \times 1/8$	[Signed] (Water Well Contra	
Gravel placed from 20 ft to 100 ft	Contractor's License No. 79 Date 2	/10/72