NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be

WATER WELL REPOR

1/3W-17da

filed with the STATE OF OREGON STATE ENGINEER, SALEM, OREGON STATE ENGINEER, SALEM, OREGON STATE ENGINEER, SALEM, OREGON STATE OF OREGON Within 30 days from the date of well completion.

JAN 26 1976 not write above this line)

11075 State Permit No. ...

ST LE ENGINEER	010190	
(1) OWNER: SALEM, OREGON	(11) LOCATION OF WELL:	
Name Donald C. Jesse 22123	County Wash, Driller's well number	
Address Rt 2 Box 23 Hillsboro Oregon	14 14 Section T. R.	W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner	
The second secon	620'S 450 E from the NW	<u>, </u>
New Well $f G$ Deepening \Box Reconditioning \Box Abandon \Box If abandonment, describe material and procedure in Item 12.	corner to NE # of SE # 3 17	
	TWP 15 R 3W	
Rotary Driven	(12) WELL LOG: Diameter of well below casing	
Cable Jetted Domestic Industrial Municipal Dug Bored Irrigation Test Well Other	Depth drilled 210 ft. Depth of completed well 210	ft.
CASING INSTALLED: Threaded Welded Threaded Threaded Threade	Formation: Describe color, texture, grain size and structure of material and show thickness and nature of each stratum and aquifer penet with at least one entry for each change of formation. Report each cin position of Static Water Level as drilling proceeds. Note drilling	rated, hange rates.
" Diam. fromft. toft. Gage		SWL
	Topsoil 0	
PERFORATIONS: Perforated? Yes I No.	Brown Coy 1 70	
Type of perforator used cutting Torch	weathered rock 70 95 hard Basalt 95 122	
Size of perforations 4 in. by 12 in.	honey comb rock 122 130	
perforations from 120 ft. to 2/0 ft.	(some water)	
perforations from ft. to ft.	hard blue basalt 130 193	
perforations from	rock creavases (water) 193 210	
perforations from ft. to ft.	Shale 210	
perforations from ft. to ft.		
(7) SCREENS: Well screen installed? Yes You		
Manufacturer's Name	F	 .
Type Model No		
Diam Slot size Set from ft. to ft.		
Diam Slot size Set from ft. to ft.		
(8) WATER LEVEL: Completed well.		
Static level 122 ft. below land surface Date May, 68	has been a	
sian pressure lbs. per square inch Date		
(9) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? 😿 Yes 🗌 No If yes, by whom? Sc/🕂		
Yield: 75 gal./min. with 78 ft. drawdown after 10 hrs.	Work started Jan 1968 Completed May	1968
" " "	Date well drilling machine moved off of well May	1968
" " " "	Drilling Machine Operator's Certification:	
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my direct supervision. W	/Iate-
Artesian flow g.p.m. Date March 1968	rials used and information reported above are true to my knowledge and belief.	best
Temperature of water Was a chemical analysis made? ☐ Yes 🗷 No	[Signed] Lonal Clesse Date1	a
	(Drilling Machine Operator)	J
(10) CONSTRUCTION:	Drilling Machine Operator's License No.	-
Well seal—Material used Bentonite + concrete Depth of seal 95-105 0-20 ft.		
Diameter of well bore to bottom of seal 20' in.	Water Well Contractor's Certification:	4 •
Were any loose strata cemented off? Yes No Depth	This well was drilled under my jurisdiction and this repo true to the best of my knowledge and belief.	ort 1S
Was a drive shoe used? ★ Yes □ No	NAME	
Did any strata contain unusable water? 😿 Yes 🗌 No	(Person, firm or corporation) (Type or print)	
Type of water? depth of strata	Address	
Method of sealing strata off	<u> </u>	
Was well gravel packed? ✓ Yes □ No Size of gravel:	[Signed] (Water Well Contractor)	
Braver, Marie Dire of Braver,	1	

Contractor's License No. Date