MOTICE TO WATER WELL CONTRACTOR The original and first copy STATE OF OREGON JAN 161974 State Well No. 15 3Wof this report are to be filed with the (Please type or print) STATE ENGINEERState Permit No. .. STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date 01078800 not write above this lineALEM, OREGON of well completion. AMENDED (10) LOCATION OF WELL: (1) OWNER: Name LYNN WAber County WASH Driller's well number Address / OO / N.E NW KNWK Section / 71. R. Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Reconditioning [ Deepening [ Abandon [7] If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Roterv Driven 🗅 Domestic Industrial | Municipal | Static level 60 ft. below land surface. Date JAN 7 Jetted 🔲 Irrigation [] Test Well [] Other Artesian pressure lbs. per square inch. Date CASING INSTALLED: Threaded | Welded | 6 (12) WELL LOG: 6 "Dism from + 1 st to 79-4 st Gage 17# Diameter of well below casing Depth drilled /6 4 ft. Depth of completed well 164 ft. to ..... Formation: Describe color, texture, grain size and structure of materials; ft. to .... ft. Gage " Diam. from .. and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strate. Perforated? Yes 2010. Type of perforator used MATERIAL Brown 15 Size of perforations tn. by perforations from ... perforations from .... ... perforations from ..... £ 35 (7) SCREENS: Well screen installed? | Yes Who Manufacturer's Name ... \_ Model No. Slot size to Set from Brown Soft Set from Medium ROCK (8) WELL TESTS: Drawdown is amount water level is lowered below static level ROCK 140 Was a pump test made? [] Yes Who If yes, by whom? Rock 162 Yield: gal./min. with ft. drawdown after hrs. Bailer test gal./min. with 30 ft. drawdown after Artesian flow g.p.m. ersture of water Malepha artesian flow encountered Work started Z6 Dec 1973 Completed 1975 Date well drilling machine moved off of well 1974 (9) CONSTRUCTION: Well seal-Material used Bentonite Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Weil sealed from land surface to Materials used and information reported above are true to my Diameter of well bore to bottom of seal best knowledge and belief. Date 14 Jay, 1974 [Signed] Diameter of well bore below seal Number of sacks of coment used in well : Drilling Machine Operator's License No. Number of sacks of bentonite used in well seal Brand name of bentomite Yellow Stone Water Well Centractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is of water ZOD lbs./100 gals. true to the best of my knowledge, and belief. Was a drive shoe used? 🗌 Yes 🖺 Ro Plugs \_\_\_\_\_ A. J.GaNY + 4 SON Size: location ..... Did any strata contain unusable water? 

Yes (Type or print) Type of water? depth of strata

<del>2 3 2008</del>

[Signed] ....

Date 14 Jan

19.Z.Y

WAIER RESOURCES DEATContractor's License No. 4

(USE ADDITIONAL SHEETS IF NECESSARY)

Method of sealing strata off

Gravel placed from ...

Was well gravel packed? [] Yes [] No

## LABOR READY.

please Note
Strandberg WASh 57397

15 15-3W-19

Waber WASh 10788

15 15-3W-16 Drilled under Lisc

#4

Stanley Haunt Lisc
#4602

We put people to work. | 800-24-LABOR | LaborReady.com

💪 printed on recycled paper 💪

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be

WASH TOPER RECEIVED
STATE OF OREGON JAN161974 State Well No. 15 3W-19
(Please type or print)

filed with the STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

(Please type or print) STATE ENGINEERState Permit No. .....

10 1078800 not write above this line SALEM, OREGON

(1) OWNER:	(10) LOCATION OF WELL:
Name Lynn Waber	County WASH Driller's well number
Address 1001 N.E 21st Street	Niu 4 Niu 4 Section / 9 T. / S R. 3 W W.M.
Hills bord	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	Dearing and distance from second of subdivision corner
New Well Deepening Reconditioning Abandon	*
If abandonment, describe material and procedure in Item 12.	(11) WATER I EVEL. Completed mall
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.  Depth at which water was first found / 40 ft.
Rotary Driven Domestic Industrial Municipal	Static level 60 ft. below land surface. Date JAN 7
Cable	
	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded 12 # Gage 17 #	(12) WELL LOG: Diameter of well below casing 6 Depth drilled /6 4 ft. Depth of completed well /6 4 ft.
" Diam, from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials;
	and show thickness and nature of each stratum and aquifer penetrated,
PERFORATIONS: Perforated?   Yes Z No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	Brown Clay 0 15
perforations from ft. to ft.	
perforations fromft. toft.	Red Sticky Clay 15 35
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? \(\sigma\) Yes \(\sigma\)	DANK BrOWN S.S. 35 65
Manufacturer's Name	Yellow Brown S.S. 65 74
Diam. Slot size Set from ft, to ft.	Dank Brown Soft to 14 140
Diam. Slot size Set from ft. to ft.	Bank Brown Soft to 14 140
	THE CETAIN A DOLA
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Soft Brown ROCK 140 162 60
Was a pump test made? 🗌 Yes 🖟 No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	Black Medi Hand Rock 162 164 60
" " "	
Bailer test /O gal./min. with 30 ft. drawdown after / hrs.	
Artesian flow	·
perature of water nathername and perature of water nathername and perature of water nathername and perature of the perature of water nathername and perature of water	7 7 7 74
peracute of water - Depart artesian now encountered	Work started Z6 Dec 1973 Completed 7 JAN 1974
(9) CONSTRUCTION:	Date well drilling machine moved off of well 7 Jan 1974
Well seal-Material used Bentonite	Drilling Machine Operator's Certification:
Well sealed from land surface to 2 2 ft.	This well was constructed under my direct supervision.  Materials used and information reported above are true to my
Diameter of well bore to bottom of sealin.	best knowledge and belief.
Diameter of well bore below sealin.	[Signed] January Date 14 Jan, 1974 (Drilling Medine Operator)
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No. 2/6
Number of sacks of bentonite used in well seal sacks  Brand name of bentonite Yellow Stone	Jaming Machine Operator 5 Electric 110.
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is
Was a drive shoe used?  Yes Ano Plugs Size: location ft.	true to the best of my knowledge and belief.
Did any strata contain unusable water?  Yes Y No	Name (Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address Alsha Onegon
Method of sealing strata off	A A De le
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	[Signed] (Water Well Contractor)
Gravel placed fromft.	Contractor's License No. Date 14, Jan 19.74
16. U	Contractor's intense ito