

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED NOV 24 1967 STATE ENGINEER SALEM, OREGON

STATE OF OREGON

(Please type or print)

WATER WELL REPORT #144/67

well constructed by Smith Wash Well No. 1/36-25 SE 1/4 SE 1/4 17 010930/7

(1) OWNER:

Name C. Alfred & Joe Cole Address RT 2, Box 343 K Cornelius, ORE.

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [x] Cable [] Dug [] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [x] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

CASING INSTALLED:

6" Diam. from 0 ft. to 40 ft. Gage 280

PERFORATIONS:

Perforated? [] Yes [x] No

Type of perforator used

Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No

Manufacturer's Name Type Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 50 ft. below land surface Date 10-1-67 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [x] Yes [] No If yes, by whom? OPERATOR Yield: 36 gal./min. with 150 ft. drawdown after 1 hrs.

(10) CONSTRUCTION:

Well seal—Material used Bentonite & Cuttings Depth of seal 0 to 40 ft. Diameter of well bore to bottom of seal 10 in. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [] Yes [x] No Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County WASH. Driller's well number 59 SE 1/4 SE 1/4 Section 25 T. 13 R. 3W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6 Depth drilled 200 ft. Depth of completed well 200 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: BROWN SOIL (0-3), BLUE CLAY (3-24), FINE BROWN SAND (24-30), BROWN BROKEN BASALT (30-35), HARD GRAY BASALT (35-98), BROWN BROKEN ROCK (WATER) (98-125), HARD GRAY BASALT (125-200).

Work started 9-30 1967 Completed 10-1 1967

Date well drilling machine moved off of well 10-1 1967

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Raymond A. Borchers Date, 1967 (Drilling Machine Operator)

Drilling Machine Operator's License No. 305

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME B & S Drilling Co. (Person, firm or corporation) (Type or print)

Address RT 3, Box 291A Sherwood

[Signed] Raymond A. Borchers (Water Well Contractor)

Contractor's License No. 404 Date 11-25 1967