NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the STATE ENGINEER SALES

ATER WELL REPORT 010962 State Well No.

STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.	pe or print)  State Permit No		
(1) OWNER:	(11) WELL TESTS: Drawdown is amount v	vater leve	l is
Name A B Curtis	Was a pump test made? Yes No If yes, by whon		iller
Address Rt 2	Yield: 25 gal./min. with 41 ft. drawdown	n after	hrs.
Cornelius Oregon	"		,,
(9) LOCATION OF WELL.	"		. ,,
(2) LOCATION OF WELL:	Bailer test gal./min. with ft. drawdow	n after	hrs.
County Washington Driller's well number  14 14 Section T. R. W.M.	Artesian flow g.p.m. Date		· - : ::.
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis r	nade? 🔲 🖰	Yes 🏝 No
Bearing and distance from Section of Subdivision corner	(12) WELL LOG: Diameter of well below co	!	Q
Section 26 1 5 3W	Depth drilled 131 ft. Depth of completed w	-	3h ft.
			<del></del>
Lie de la companya de	Formation: Describe by color, character, size of materia show thickness of aquifers and the kind and nature of a stratum penetrated, with at least one entry for each c	the mater hange of	ial in each formation.
		1	
(a) myrp or yropy ( 1 1 1)	MATERIAL	FROM	TO
(3) TYPE OF WORK (check):	Previously Drilled	0	64
New Well ☐ Deepening ♣ Reconditioning ♣ Abandon ☐ bandonment, describe material and procedure in Item 12.	Sand Stone	64	95
bandonment, describe material and procedure in Item 12.	Sand Stone-Water Bearing	95	125
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Pink Iava Rock	125	134
Domestic M Industrial   Municipal   Rotary   Driven			<del> </del>
Cable M Jetted ☐ Irrigation ☐ Test Well ☐ Other ☐ Dug ☐ Bored ☐			
(6) CASING INSTALLED: Threaded  Welded			
8 "Diam, from 0 ft. to 109 ft. Gage 277			<del></del>
6 "Diam. from 106 ft. to 134 ft. Gage •188		<b></b>	<del>                                     </del>
ft. to ft. Gage	=(LV 91.		···
(7) PERFORATIONS: Perforated? XX Yes XX Yes			
Type of perforator used <b>Torch</b>			
Size of perforations 1/8 in. by 12 in.			
112 perforations from 106 ft. to 134 ft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
(8) SCREENS: Well screen installed 🗆 Yes 🏝 No			
Manufacturer's Name Model No.		<del> </del>	<del> </del>
Sam. Slot size Set from ft. to ft.	Work started 5/3/62 19 . Completed	5/14	1962
Diam. Slot size Set from ft. to ft.		/15	1962
(9) CONSTRUCTION:	(13) PUMP:		
Well seal—Material used in sealDrive-in Caseing	Manufacturer's Name Pacific	• (************************************	
Depth of seal109 ft. Was a packer used?No	Type: <b>Jet</b>	I.P	2
Diameter of well bore to bottom of seal	Water Well Contractor's Certification:		
Were any loose strata cemented off? Tyes A No Depth		ond thin	roport i-
Was a drive shoe used? Yes No	This well was drilled under my jurisdiction true to the best of my knowledge and belief.	and this	Tehon 12
Was well gravel packed?   Yes Two Size of gravel:			
Gravel placed from ft. to ft.	NAME A M JANNSEN DRILLING COMPA) (Person, firm or corporation)	<b>NY</b> Fype or pri	 int)
Did any strata contain unusable water?  Yes 🕏 No	I		
Type of water? Depth of strata	Address Aloha, Oragon		
Method of sealing strata off	Drilling Machine Operator's License No		
(10) WATER LEVELS:	1 100 ( ) a a a		
w /n3	[Signed Cloude M. M. M.	~~	

ft. below land surface Date 5/14

lbs. per square inch Date

Static level

Artesian pressure