Original filed: Oct. 3, 1967 Returned for correction WATER WELL REPORT NOV 14 1967 The original and first copy state engineer, salem, oregon 97310 17 1967 STATE OF OREGONSTATE EN State Well No. 14 1967 within 30 days from the date of well completion. SALEM. OREGON write above this line) SALEM. OREGON State Permit No. (1) OWNER: (11) LOCATION OF WELL: L. S. Schatzman Name County Washington Driller's well number Address Rt. 1, Box 98 Forest Grove. Ore. 2 r. ls LW 1/4 Section W M Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well □ Deepening 🔯 Reconditioning | Abandon [7] If abandonment, describe material and procedure in Item 12. (3) TYPE OF WELL: (4) PROPOSED USE (check): (12) WELL LOG: 6n Rotary [Diameter of well below casing Driven | Domestic 🔯 Industrial 🗌 Municipal 🗍 Cable Jetted | 118 ft. Depth of completed well **7.78** Depth drilled Dug Bored [Irrigation | Test Well | Other Formation: Describe color, texture, grain size and structure of materials; CASING INSTALLED: and show thickness and nature of each stratum and aquifer penetrated, Threaded | Welded | with at least one entry for each change of formation. Report each change 6 "Diam from 0 ft. to 591611 ft. Gage • 250 in position of Static Water Level as drilling proceeds. Note drilling rates. ..." Diam. from 48 ft. to 118 ft. Gage • 10 MATERIAL. Previously Drilled PERFORATIONS: Blue clav-med. hard 41 Ъ6 Perforated? ☐ Yes ⊠ No. 46 Green-blue clay-hard Type of perforator used Torch Blue-brown sand, water bearing 47 51 12 Size of perforations in. by Comented sand & small gravel <u>5erm</u> 80 perforations from 98 ft. to Soft sand & gravel w/blue clay 56 perforations from ft. to ft. 58 72 Brown clay-hard & dry, gritty perforations from ft. to Decomposed gravel, sand & perforations from ft. to boulders perforations from ______ft. to _____ft. 89 10hBrown rock(gravel & clay) 70/1 110 (7) SCREENS: Brown rock-soft, broken Well screen installed? ☐ Yes ☐No 110 116 10 Clay, with rock Manufacturer's Name 118 Rock, brown (broken) water 116 Model No. Diam. Slot size Set from ft. to Diam. Slot size Set from ft. to ft. (8) WATER LEVEL: Completed well. 10 ft. below land surface Date 8-29-67 Static level sian pressure lbs. per square inch Date Drawdown is amount water level is lowered below static level (9) WELL TESTS: Was a pump test made? 🗌 Yes 🔯 No If yes, by whom? Work started 67Completed 8-29 19 67 gal./min. with ft, drawdown after hrs. Date well drilling machine moved off of well 19 67 **Drilling Machine Operator's Certification:** This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. Bailer test gal./min. with 87 ft. drawdown after Artesian flow g.p.m. Date Was a chemical analysis made? 🗌 Yes 🍱 No Temperature of water [Signed] ____ Date ___9-25__, 19_67_ (Drilling Machine Operator) (10) CONSTRUCTION: Drilling Machine Operator's License No. 523 Well seal-Material used22 Depth of seal Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is Diameter of well bore to bottom of seal true to the best of my knowledge and belief. Were any loose strata cemented off? Tyes Kno Depth M. Jannsen Drilling Co.
(Person, firm or corporation) (Type or print) Was a drive shoe used? Tyes Do Did any strata contain unusable water?

Yes
No Address 2107 Type of water? depth of strata Method of sealing strata off Was well gravel packed?

Yes I No Size of gravel: Contractor's License No. 79 Date 9-25 19 67 Gravel placed from ft. to _____ ft. to