STATE OF OREGON

RECEIVED

WATER WELL REPORT (as required by ORS 537.765)

NOV - 1 1985 PLEASE TYPE or PRINT IN INK

5	4W	-/	4 Di
b	-41c#	1	,
Ke	ia	A .	
(fo	r official	ree only	-1

WATER RESOURCES DI	(for official use only)		
(1) OWNER: SALEM, OREGON	(10) LOCATION OF WELL by legal description:		
Name Manuel P. Goncalo	County Washington NE% NW % of Section 14 of		
Address Route 1, Box 113	Township 1 S. Renge 4 W W		
City Gaston, Oregon State 97119	<u> </u>		
(2) TYPE OF WORK (check):	Tax Lot Lot Slock Subdivision MAILING ADDRESS OF WELL (or nearest address)		
New Well ☐ Deepening ☐ Reconditioning ☒ Abandon ☐			
If abandonment, describe material and procedure in Item 12.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL of COMPLETED WELL:		
Rotary Air K Driven Domestic K Industrial Municipal D	Depth at which water was first found ft.		
Rotary Mud Dug Irrigation Withdrawal Reinjection	Static level ft. below land surface. Date		
Other: Piezometric Grounding Test	Artesian pressure lbs. per square inch. Date		
Trestment I dromaing I lest I	(12) WELL LOG: Diameter of well below casing		
(5) CASING INSTALLED: Steel Plastic Threaded Welded K	Depth drilled ft. Depth of completed well ft.		
10." Diam. from	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.		
LINER INSTALLED: Steel	MATERIAL From To SWL		
Diam. fromft. Gauge			
(6) PERFORATIONS: Perforated? K Yes No	16" Well bore cleaned out to		
Size of perforations 1/8 in. by 4" in.	130 ft.		
120 perforations from 85 ft. to 125 ft.	10" Liner installed and well		
perforations from	developed		
perforations from			
(F) CODETAG			
(7) SCREENS: Well screen installed? Yes X No Manufacturer's Name			
Type			
Diam. Slot Size Set from ft. to ft.			
Diam Slot Size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? Yes No If yes, by whom?			
f: 9 gal./min. with 30 ft. drawdown after 3 hrs.			
Air test gal./min. with drill stem at ft. hrs.			
Bailer test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.			
perature of water Depth artesian flow encountered ft.			
(9) CONSTRUCTION: Special standards: Yes \(\text{No} \(\text{D} \)	Date work started 10/22/85 /completed 10/25/85		
Well seal—Material used	Date well drilling machine moved off of well 10/25/85 19		
Well sealed from land surface to	(unbonded) Water Well Constructor Certification (if applicable):		
Diameter of well bore to bottom of seal in.	This well was constructed under my direct supervision. Materials used and		
Diameter of well bore below seal in.	information reported above are true to my best knowledge and belief.		
Amount of sealing material sacks pounds pounds	[Signed], 19,		
How was cement grout placed?	(bonded) Water Well Constructor Certification:		
	Bond 390-1672 Issued by: Great American Insurance		
Was pump installed? Type HP Depth ft.	(number) (Surety Company Name)		
Was a drive shoe used? Yes No Plage Size: location ft.	Roy N. Jannsen Well Drilling Co. Inc. (type or print name of Water Well Constructor)		
Oid any strata contain unusable water?	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief:		
Type of Water? depth of strata			
Method of sealing strata off	(Signed)		
Was well gravel packed? Yes No Size of gravel:	(Water Well Constructor) (Dated) Ctober 29, 1985		
Gravel placed from ft. to ft.	(Daved)		