WASH 012242

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

STATE ENGINEER

WATER WELL REPORT APP. 23 STATE OF OREGON

State Permit No. ..

(1) OWNER: Name (£ 71) illoud	(11) WELL TESTS: Drawdown is amount water level is lowered below static level		
Address R/ Box 387	Was a pump test made? \(\text{Yes} \) No If yes, by whom? \(\text{Violation} \)		
Sperwood Chew.	Yield: gal./min. with ft. drawdov	n after	hrs.
(a) Todamyory on the	2) . 1) . 1)		
(2) LOCATION OF WELL:	Bailer test 30 gal./min. with O ft. drawdown after /2 hrs.		
County Wash ing ton Owner's number, if any—	Artesian flow g.p.m. Date Oct 201960		
1/4 1/4 Section 7 5 T. 2 5 R. / W.M.	Temperature of water Was a chemical analysis made? ☐ Yes ☑ No		
Bearing and distance from section or subdivision corner 75' East 135' North		7	<u></u>
95' East 135' North	(12) WELL LOG: Diameter of well	6	inches.
	Depth drilled ft. Depth of completed w		
	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.		
	MATERIAL	FROM	TO
TYPE OF WORK (check):	Began at		110
New Well □ Deepening □ Reconditioning □ Abandon □	Medicin Hard Noch (Black)	110	150
andonment, describe material and procedure in Item 11.	Hand	150	155
POPOSED LISE (-LL). (F) THERE OF MICH Y	medium 11	155	165
ROPOSED USE (check): (5) TYPE OF WELL:	Thank with	165	177
stic Industrial Municipal Rotary Driven Cable Jetted	soft red well	177	178
Irrigation ☐ Test Well ☐ Other ☐ Dug ☐ Bored ☐	Hord black "	178	18.5
(C) CACING INCHATION	Salt gray "	185	208.
(6) CASING INSTALLED: Threaded Welded			· · · · · · · · · · · · · · · · · · ·
"Diam. fromft. toft. Gage			
"Diam. from ft. to ft. Gage			-
2 "Diam from to the Gage			
(7) PERFORATIONS: Perforated? \(\subseteq Yes \(\subseteq \) No			
Type of perforator used			
SIZE of perforations in. by in.			
perforations fromft. toft.			
perforations fromft, toft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
CDETANG			
CREENS: Well screen installed Yes No		-	
Type Model No			·
Slot size Set from ft. to ft.			
Slot size Set from ft. to ft.	Work started QCL 5 1960. Completed Q	120	1960
CONSTRUCTION:		7.72	
Was well gravel packed? Yes No Size of gravel:	(13) PUMP:	7a	•
Gravel placed from ft. to ft.	Manufacturer's Name () (1000)		<u></u>
Was a surface seal provided? ☐ Yes ☐ No To what depth?	Type: Julimerselle	н.р. 🔿	••••••
Material used in seal—	Well Driller's Statement:		
Did any strata contain unusable water? Yes No	This well was drilled under my jurisdiction a		
Type of water? Depth of strata	true to the best of my knowledge and belief.	ina this re	eport is
Method of sealing strata off	Ab l. Al.	11.	Golf.
(10) YHAMOD Y DYDYG	NAME (T) (T) (T)	ype or print	CHAY
(10) WATER LEVELS:	Address La Salate Die	Je or printy	/ //
Static level 120 ft. below land surface Date 06, 20-68			
Artesian pressure lbs. per square inch Date	Driller's well number	·	-
Log Accepted by:	[Signed] Learn II.	Ryle	2
[Signed], 19, 19	License No. (Well Driller)	60	10 60