NOTICE TO WATER W.

The original and first co.

are to be filed with the

WAZER RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date
of well completion.

γR

## WATER SWELL 2855 9R1

## STATE OF OREGON

(Please type or print)

(Do not write above this line)

MASHI	7537
State Well No.	

<u>پ</u>	State	Well No
	State	Permit No.

(1) OWNER:	(10) LOCATION OF WELL:		
Name As As Lattrell Rosi Goldsmith Apt.311	County County Driller's well number		
Address Louis 4, How 10: Portland, Oregon	33 14 M 14 Section 26 T. 2 3 R. 2 1 s. W.M.		
Gillshand, ore to a 97124	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):			
New Weil  Deepening  Reconditioning  Abandon			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 100 ft.		
Rotary Driven Domestic I Industrial Municipal	Static level 20 ft. below land surface. Date 3/25/79		
Cable	Artesian pressure lbs. per square inch. Date		
(5) CASING INSTALLED: Threaded Welded Welded	(12) WELL LOG: Diameter of well below casing		
4-1/2" Diam. from 5 ft. to 400 ft. Gage 170.150	Depth drilled $p(i)$ ft. Depth of completed well $250$ ft.		
" Diam. from	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in		
Diam. from n. to n. Gage			
(6) PERFORATIONS: Perforated? Z Yes 🗆 No.	position of Static Water Level and indicate principal water-bearing strata.		
Type of perforator used	MATERIAL From To SWL		
Size of perforations 3/0 in by statical Law in.	Freedometry draffled 0 160 2 gpm		
4U perforations from 250 ft. to 250 ft.	100 m saint & and 100 170		
perforations from ft. to ft.	fiard rey-black basels 170 188		
perforations from ft. to ft.	ise I brown boneit wisconstone 186   295 2 gran		
(7) SCREENS: Well screen installed? ☐ Yes A No	which beselt-ook, brides 190 225		
(1) SCREENS: Well screen installed? ☐ Yes ② No Manufacturer's Name	Broken prosa baselt 2% 250 56gra		
Type Model No.	Notice Lines set with seckers & 35 ft. and 200 f		
Diam. Slot size Set from ft. to ft.	MOTE TARREST SET WITH THE TRANSPORT OF THE COLUMN TO		
Diam. Slot size Set from ft. to ft.			
(8) WELL TESTS. Drawdown is amount water level is			
(8) WELL TESTS:  Drawdown is amount water level is lowered below static level			
Was a pump test made? ☐ Yes ☑ No If yes, by whom?			
Yield: 60 gal./min. with 150 ft. drawdown after 2 hrs.	6.05 63070		
<u>, 30 , 30 , " " , </u>	51. 9 = 1979		
и и н	WATER RESCHECES OFFT		
Bailer test gal./min. with ft. drawdown after hrs.	SALEM, OFFICAN		
Artesian flow g.p.m.	•		
Temperature of water $\mathfrak{D}$ Depth artesian flow encountered ft.	Work started 9/24//9 19 Completed 9/25/79 19		
	Date well drilling machine moved off of well 5/25/79 19		
(9) CONSTRUCTION:			
Well seal—Material used	Drilling Machine Operator's Certification:  This well was constructed under my direct supervision.		
Well sealed from land surface to ft.	Materials used and information reported above are true to my		
Diameter of well bore to bottom of seal in.	best knowledge and belief.		
Diameter of well bore below seal *	[Signed] Date 2/2./79 19		
How was cement grout placed?	Drilling Machine Operator's License No		
e a contra de la contra del la contra del la contra del la contra del la contra de la contra del la contra	Water Well Contractor's Certification:		
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? 🗌 Yes 📋 No Plugs Size: location ft.	_		
Did any strata contain unusable water? 🗌 Yes 💆 No	Name A. M. (Person, firm or corporation) (Type or print)		
Type of water? depth of strata	Address21975 San Tuelatin mile, her aloha, her of		
Method of sealing strata off	(Signati) (1. 10 1/2/2)		
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	[Signed] (Water Well Contractor)		
Gravel placed from ft. to	Contractor's License No		

## A. M. JANNSEN WELL DRILLING CO. INC.

21075 S.W. Tualatin Valley Highway ALOHA, OREGON 97005

GEGERNED

GEGERNESS DEPT

CALEM. OLDON

October 3, 1979

Water Resources Department Mill Creek Office Park 555 13th Street, N. E. Salem, Oregon 97310

Attention: Bill McCall

Gentlemen:

We recently filed a well log for well in the  $NE_{4}^{\downarrow}NW_{4}^{\downarrow}$ , Section 10, Township 2 South, Range 2 West of the Willamette Meridian. This was filed under the name of A. N. Luttrell. We request that this be corrected to show the following as the owner:

Rosi Goldsmith 2393 S. W. Park Place, Apt. 311 Portland, Oregon 97205

Very truly,

A. M. JANNSEN WELL DRILLING CO. INC.

Edu Majana

Edward M. Jannsen

PAJ: jw

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

## WATER WELL BEPORWASH STATE OF OREGON

(Please type or print)

(Do not write above this line)

State	Well No. 25 Aw-10 ba
State	Permit No.

(1) OWNER:	(10) LOCATION OF WELL:	***************************************	
Name A. N. Luttre11	County Washington Driller's well number		
Address Route 4, Box 192	NE 14 NW 14 Section 10 T. 2 S	_ 9 14	
Hillsboro, Oregon 97123	Bearing and distance from section or subdivisi		
(2) TYPE OF WORK (check):	Beating and distance from section of supplivish	on corner	
New Well   Deepening   Reconditioning   Abandon			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	¥¥	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	_	en. 30	
Rotary N Driven D Demostic Of Yndustrial D As	0.0	16.	
Domestic   Industrial   Municipal	To below laile s	urface. Date 9/25/79	
	Artesian pressure lbs. per squar	e inch. Date	
(5) CASING INSTALLED: Threaded Welded M. 4-1/2" Diam. from 5 ft. to 250 ft. Gage PVC160	(12) WELL LOG: Diameter of well be Depth drilled 80 ft. Depth of complete		
"	Formation: Describe color, texture, grain size a		
" Diam. from ft. to ft. Gage	and snow thickness and nature of each stratum	n and aquifer penetrated	
(6) PERFORATIONS: Perforated? N Yes No.	with at least one entry for each change of format position of Static Water Level and indicate prin	ion Report each change in	
Type of perforator used Drill	MATERIAL		
Size of perforations 3/8 in. Ty diameter in.	Previously drilled	From         To         SWL           0         160         2 gpm	
40 perforations from 240 ft. to 250 ft.	Fill - sand & mud	160 170	
perforations fromft. toft.	Hard gray-black basalt	170 185	
perforations from ft. to ft.	Red & brown basalt w/soapstone	185   195 2 gpm	
(E) CODERNO	Black basalt-occ. broken	195 225	
wen sereen mataned? [] Tes M No	Broken brown basalt	225 250 56gpm	
Manufacturer's Name	*		
Diam. Slot size Set from ft. to ft.	NOTE: Liner set with packers	80 ft. and 200 f	
Diam. Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	RECEIVED		
s a pump test made? Yes No If yes, by whom?			
Yield: 60 gal./min. with 180 ft. drawdown after 2 hrs.	SEP#81979 -		
" 30 " 80 " " "	WATER RESOURCED DETER		
" " " "	SALEM, OREGON		
iler test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.			
Temperature of water $55^{0}$ Depth artesian flow encountered ft.	Work started 9/24/79 19 Completes	9/25/79 19	
(9) CONSTRUCTION:	Date well drilling machine moved off of well	9/25/79 19	
Well seal—Material used X	Drilling Machine Operator's Certification:		
Well sealed from land surface to the fit.	This well was constructed under my Materials used and information reported a	direct supervision.	
Diameter of well bore to bottom of seal in.	best knowledge land belief.		
Diameter of well bore below seal x in.  Number of sacks of cement used in well sealsacks	[Signed] (Drilling Machine Operator)	ate 9/26/79, 19	
Name of sacks of cement used in wen seal sacks sacks was cement grout placed?	Drilling Machine Operator's License No		
grout pieced:			
	Water Well Contractor's Certification:		
Was a drive shoe used? ☐ Yes 🛣 No Plugs Size: location ft.	This well was drilled under my jurisdic true to the best of my knowledge and belie	ef.	
Did any strata contain unusable water?  Yes A No	Name A.M. JANNSEN WELL DRILLING CO. INC.		
Type of water? depth of strata	(Person, firm or corporation) Address 21075 SW Tualatin Valley I	(Type or print) Iwy. Aloha. Oregon	
Method of sealing strata off	511 ( MIL Va	and a	
Vas well gravel packed? ☐ Yes X No Size of gravel:	[Signed] (Water Well Contrac	alle	
Gravel placed from	70	<sup>tor)</sup> /26/79	
Tt. 10 II.	Contractor's License No. 79 Date 9	20/10 , 19	