NOTICE TO WATER WELL CONTRACTOR The original and first copy

of this report are to be
filed with the

# WAVERSWELL PERFECEIVED

STATE OF OREGON

CALEM, CRECON

State Well No.

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion. 012643of well completion.

STATE OF OREGON
(Please type or print)

AUG 191976

State Well No.

State Permit No. 25/2007/3

State Permit No. 25/2007/3

1) OWNER:	(10) LOCATION OF WELL:			
Donald L. Haynes	County Washington Driller's well nur	nber		
ddress Route 2, Box 191	14 NW 14 Section 15 T. 2 S	R.	2 W	<u> W.M.</u>
Hillsboro, Oregon 97123	Bearing and distance from section or subdivision	n corner	1.	
2) TYPE OF WORK (check):			·	rather return
Iew Well X Deepening □ Reconditioning □ Abandon □				
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.			
	Depth at which water was first found 340 ft.			
	8/14/76			
totary K Driven Domestic K Industrial Municipal Domestic				-
Oug 🗍 Bored 🖟 Irrigation 🗎 Test Well 🗎 Other 🗎	Artesian pressure lbs. per square	inch. D	ate	
CASING INSTALLED: Threaded □ Welded ☑	(12) WELL LOG: Diameter of well be	alaw angi	ng 6#	
3-5/8" Diam. from plus 1 ft. to 340 ft. Gage •250	000			
"Diam. fromft. Gage	*			
" Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,			etrated,
	with at least one entry for each change of format position of Static Water Level and indicate princ	ion. Repo	rt each ¢i	range in
PERFORATIONS: Perforated?   Yes  No.	position of Static Water Level and indicate print			
Type of perforator used	MATERIAL	From	То	swl
Size of perforations in. by in.	Silty brown clay-occ.silty	0	20	
perforations fromft. toft.	brown sand	<del></del>	20	
perforations from ft. to ft,	Brown clay w/occ.silty brown	20	62	<del></del>
perforations fromft. toft.	sand streaks	62	90	
	Blue clayocc. silty Silty blue clay w/fine black	- 02	- 50	
(7) SCREENS: Well screen installed?   Yes  No	sand streaks	90	105	-
Manufacturer's Name	Hard silty light blue clay	105	130	
Type Model No	Hard sticky green brown clay			
Diam. Slot size Set from ft. to ft.	occ. gritty	130	150	
Diam. Slot size Set from ft. to ft.	Hard sticky brown clay-occ.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	rock fragment	150	1.60	· · · · · · · · · · · · · · · · · · ·
AON CLOU DOLON DIVINIO	Brown clay w/rotten rock	160	190	
Was a pump test made? ☐ Yes 🖾 No If yes, by whom?	Hard sticky gray-brown clay	190	215	
Yield: 30 gal./min. with 220 it. drawdown after - his.	Red-brown clay-occ.rock frag-			
20 " 216 " " 15 116 " "	ment	215	250	
" 15 " 116 " " " " " " " " " " " " " " " " "	Gritty brown clay w/rotten roc	k		
Bailer test gal./min. with ft. drawdown after hrs.	streaks of red clay	250	295	
Artesian flow g.p.m.	Soft weathered brown basalt &	295	307	
mperature of water Depth artesian flow encounteredft.	Work started 8/9/76 19 Complete	ed 8/	14/76	19
Amperature of water	Date well drilling machine moved off of well	8,	/14/76	19
(9) CONSTRUCTION:				<b>.</b>
Well seal-Material used Cement Grout & 2% gel	Drilling Machine Operator's Certification:	direct	suner	vision.
Well sealed from land surface toft.	This well was constructed under my direct supervision.  Materials used and information reported above are true to my			to my
Diameter of well bore to bottom of seal 10 in.	best knowledge and belief.			
Diameter of well bore below seal in.	[Signed] Date 8/17/7619 Date 8/17/7619			
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No. 523			
Number of sacks of bentonite used in well seal0 sacks	Dinning Machine Operator 5 Execute 111			
Brand name of bentonite	Water Well Contractor's Certification:			
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisd	iction a	nd this	report is
of waterlbs./100 gals.	true to the hest of my knowledge and belief.			
Was a drive shoe used? 🗌 Yes 🍱 No Plugs Size: location ft.	t. Name A. M. JANNSEN DRILLING CO.			
Did any strata contain unusable water?   Yes No	(Person firm or corporation)  Address 21075 S.W. Tualatin Va.			
Type of water? depth of strata	Address Address	a si d	0	
Method of sealing strata off	[Sign of alwal and	MU		
Was well gravel packed?   Yes  No Size of gravel:	(Water Well Con	tractor) 8/17/7	76	
Gravel placed from ft. to ft.	Contractor's License No. 19 Date	<u> </u>		, 19
	THE STREET AND THE STREET		ç	P*45656-119

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date

## WATER WELL REPORT

#### STATE OF OREGON

(Please type or print).

(Do not write above this line)

State	Well No.	***************************************
State	Permit N	To

of well completion. (Do not write ab	ove this line)	
(1) OWNER:	(10) LOCATION OF WELL:	
Donald L. Haynes Page 2	County Driller's well num	ber
Name	14 14 Section T. F	R. W.M
Audicos	Bearing and distance from section or subdivision	corner
(2) TYPE OF WORK (check):	5-49-6 2 17.7 17.4 67 47	
New Well □ Deepening □ Reconditioning □ Abandon □		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	11.
#-	1	fi
	Depth at which water was first found  Static level ft. below land su	
Rotary Driven Domestic Dindustrial Municipal Cable Detted		
Dug Bored I Irrigation Test Well Other	Artesian pressure lbs. per square	men. Date
CASING INSTALLED: Threaded   Welded	(12) WELL LOG: Diameter of well be	low casing
" Diam. fromft. toft. Gage		
"Diam. fromft. Gage	Doptil Carata	
"Diam. from	Formation: Describe color, texture, grain size an and show thickness and nature of each stratum	and aquiter penetrated
	with at least one entry for each change of formati position of Static Water Level and indicate princ	on. Report each change i
PERFORATIONS: Perforated?   Yes   No.		
Type of perforator used	MATERIAL	From To SWL
Size of perforations in. by in.	Hard sticky red clay-occ. rock	307 325
perforations from ft. to ft.	fragments	325 332
perforations fromft. toft.	Weathered brown basalt	332 343 10
perforations fromft. toft.	Gray-brown basalt-occ. broken Broken black & brown basalt-	
	occ.hard gray-black basalt	343 350 15
(7) SCREENS: Well screen installed? ☐ Yes ☐ No	Broken black basalt	350 360 5 g
Manufacturer's Name	Hard gray-black basalt	360
TypeModel No	ited to ga to y	
Diam. Slot size Set from ft. to ft.  Diam. Slot size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made?  Yes  No If yes, by whom?		
Yield: gar./min. with		
the harmonic and the second se		
n n		
Bailer test gal./min. with ft. drawdown after hrs.		
Artesian flow g.p.m.		
mperature of water Depth artesian flow encounteredft.	Work started 19 Complete	ed 19
	Date well drilling machine moved off of well	. 19
(9) CONSTRUCTION:	Drilling Machine Operator's Certification:	
Well seal—Material used	This well was constructed under my	direct supervision
Well sealed from land surface to	Materials used and information reported best knowledge and belief.	above are true to i
Diameter of well bore to bottom of seal in.	best knowledge and benefit	Data 19
Diameter of well bore below seal in.	[Signed](Drilling Machine Operator)	Date
Number of sacks of cement used in well sealsack	Drilling Machine Operator's License No.	
Number of sacks of bentonite used in well seal sack		
Brand name of bentonite		
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisd true to the best of my knowledge and be	iction and this report
of water Ibs./100 gals  Was a drive shoe used?   Yes  No Plugs Size: location fi		
Was a drive shoe used? ☐ Yes ☐ No Flugs Size. location No Did any strata contain unusable water? ☐ Yes ☐ No	Name (Person, firm or corporation)	(Type or print)
	Address	
Type of water? depth of strata	-	
Method of sealing strata off	[Signed](Water Well Cont	ractor)
Was well gravel packed?  Yes No. Size of gravel:	Contractor's License No Date	
Gravel placed fromft. toft.	Contractor's License No Date	SD*45656

#### WASH 12643 For Official Use Only:

Received Date:

County Well Log ID#

Well Identification Tag #

\_\_\_\_\_

Wash 12643

J-55749

-5574

### WELL IDENTIFICATION APPLICATION FORM

BUYER/CURRENT WELL OWNER:
Name: Don HAYNES
Mailing Address: Po. 13 ox 651
City: 41/5600 State: OK Zip: 97/23 Phone: (503) 628-1288
NOTE: Well Identification Tag will be sent to the above address unless otherwise specified.
WELL LOCATION:
County: WASK. Owner's Well Number (1st or 2nd well on property, etc)
Township: N <u>or</u> S, Range: E <u>or</u> W, Section:,1/41/4
Tax Lot Number:Type of Well: water supply monitoring
Address of Well (if different from above): 24430 S.W. Scholls Q. Rd. 97/23
(Number) (Street) (City)  Does this well have a formal water right associated with it? Yes:
If Yes: Application #: Permit #: Certificate #:
(Optional): Latitude (May sometimes be obtained from Well Log Report)
WELL INFORMATION: (do not complete remainder of application if drillers well report is attached See "Dear Landowner" letter for instructions in completing this portion of the application, or contact the Well Identification Program at (503) 378-8455, extension 260.
Start Card Number: Approx. Well Construction Date:
Well Constructor:
Name of Land Owner at Time of Construction:
Well Depth (in feet): Static Water Level (in feet):
Diameter of Exposed Well Casing (in inches):

Please Return Completed Form to: Well ID Program @ Oregon Water Resources Department

158 12th Street NE - Salem, OR 97301-4172