

WASH  
**WATER WELL REPORT**  
**STATE OF OREGON**

12682

State Well No.

2/2W-16

State Permit No.

**(1) OWNER:**

Name MARVIN DECKER  
 Address RT-4 Box 265 Hillsboro, Ore.

**(2) LOCATION OF WELL:**

County WASH. Owner's number, if any—  
 ¼ Section 16 T. 2 S. R. 2 W.M.  
 Bearing and distance from section or subdivision corner

**(3) TYPE OF WORK (check):**

New Well  Deepening  Reconditioning  Abandon   
 If abandonment, describe material and procedure in Item 11.

**(4) PROPOSED USE (check):**

Domestic  Industrial  Municipal   
 Irrigation  Test Well  Other

**(5) TYPE OF WELL:**

Rotary  Driven   
 Cable  Jetted   
 Dug  Bored

**(6) CASING INSTALLED:**

Threaded  Welded   
6" 10# Diam. from 0 ft. to 30 ft. Gage 17 lb.  
 " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_  
 " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_

**(7) PERFORATIONS:**

Perforated?  Yes  No

Type of perforator used

SIZE of perforations	in.	by	in.
perforations from _____ ft. to _____ ft.			
perforations from _____ ft. to _____ ft.			
perforations from _____ ft. to _____ ft.			
perforations from _____ ft. to _____ ft.			

**(8) SCREENS:**

Well screen installed  Yes  No

Manufacturer's Name \_\_\_\_\_  
 Type \_\_\_\_\_ Model No. \_\_\_\_\_  
 \_\_\_\_\_ m. Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 \_\_\_\_\_ diam. Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(9) CONSTRUCTION:**

Was well gravel packed?  Yes  No Size of gravel: \_\_\_\_\_  
 Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Was a surface seal provided?  Yes  No To what depth? \_\_\_\_\_ ft.  
 Material used in seal—  
 Did any strata contain unusable water?  Yes  No  
 Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
 Method of sealing strata off \_\_\_\_\_

**(10) WATER LEVELS:**

Static level 103 ft. below land surface Date 4/14/59  
 Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

Log Accepted by:

[Signed] Marvin Decker Date 4/25, 1959  
 (Owner)

**(11) WELL TESTS:**

Drawdown is amount water level is lowered below static level

Was a pump test made?  Yes  No If yes, by whom? -  
 Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
 " " " "  
 " " " "  
 " " " "  
 Bailer test 13 gal./min. with 38 ft. drawdown after 1 hrs.  
 Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
 Temperature of water \_\_\_\_\_ Was a chemical analysis made?  Yes  No

**(12) WELL LOG:**

Diameter of well 6 inches.

Depth drilled 151 ft. Depth of completed well 151 ft.

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
TOP SOIL	0	1
YELLOW CLAY	1	26
SAND STONE HARD GREY	26	38
ROCK BLACK HARD	38	52
SAND STONE SHALE HARD	52	63
ROCK AND SHALE GREY HARD	63	95
ROCK VERY HARD	95	120
SAND ROCK HARD GREY	120	151

Work started 3/9 1959 Completed 4/14 1959

**(13) PUMP:**

Manufacturer's Name \_\_\_\_\_  
 Type: SUBMERSIBLE H.P. 3/4

**Well Driller's Statement:**

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME FELIX DEYLAEMINCK  
 (Person, firm, or corporation) (Type or print)

Address Rt. 1 Box 310 CORNELIUS, ORE

Driller's well number \_\_\_\_\_

[Signed] Felix Deylaeminck  
 (Well Driller)

License No. 197 Date 4/18, 1959

RECEIVED

MAY 4 1939

STATE ENGINEER  
SACRAMENTO OREGON

WARVIN DECKER

R.H. - Box 260

16 sec. 16 T 25 R 2 W

Vol. 311 Page 571

Beginning at the  $\frac{1}{4}$  sec. corner on the west line of sec. 16 T. 25 R. 2 W. of the W.M. Washington County Oregon an Iron pipe; thence running along the North line of the S.W.  $\frac{1}{4}$  of said section 16. N.  $88^{\circ} 55' E.$  841.1 ft. to an Iron pipe on the South westerly line of the J. M. Rowell D.L.C. Tract 4; thence along said Rowell line S.  $42^{\circ} 53' East$  1058.0 to a stone at the South end of the division line of said Rowell D.L.C. a point in County road; thence along said road S.  $25^{\circ} 37' E.$  691.7 feet to a stone in center of cross road, thence North  $79^{\circ} 22' W.$  518.5 feet to an Iron pipe in the County road, thence South  $88^{\circ} 23' W.$  1319.8 feet to the South west corner of the NW  $\frac{1}{4}$  of the SW  $\frac{1}{4}$  of sec 16; thence along the west line of said sec 16, N  $1^{\circ} 21' W.$  1324.7 to the place of beginning.