## NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be MAR 261369 STATE OF OREGON STATE ENGINEER, SALEM, OREGON 87310 Within 30 days from the date 11. ELLINGO hot write above this line) 012695 State Permit No. 6708

(1) OWNER:	(11) LOCATION OF WELL:		
Name Jerry Falty	County Washington Driller's well number		
Address Rte 3 Bex 196 Sheerweed,	14 14 Section 16 T. 2-1	S R. R-2	W.M.
aragan	Bearing and distance from section or subdivisio	n corner	
(2) TYPE OF WORK (check):			
New Well   Deepening □ Reconditioning □ Abandon □			
If abandonment, describe material and procedure in Item 12.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well	below casing6	_inch_
Rotary Driven Domestic Industrial Municipal Domestic	Depth drilled 135 ft. Depth of compl	3.0	55 ft.
Dug Bored Irrigation Test Well Other	Formation: Describe color, texture, grain size		naterials:
CASING INSTALLED: Threaded □ Welded □	and show thickness and nature of each stratu	ım and aquifer per	netrated,
CASING INSTALLED: Threaded Welded X 6. " Diam. from O XXX ft. to 64 ft. Gage X wall	with at least one entry for each change of form in position of Static Water Level as drilling pr	nation. Report each oceeds. Note drilli	n change ng rates.
5-9/16 <sub>Diam. from</sub> 55 ft. to 135 ft. Gage 10 gage		From To	SWL
i di		0 8	
" Diam. from ft. to ft. Gage	Tep seil Yellew xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	2 10	
PERFORATIONS: Perforated? Yes [] No.	Yellow sand and clay	10 50	
Type of perforator used torch	Brewn clay	50 60	
Size of perforations 1/8 in. by 6 in.	Brown sandstone	60 70	
40 perforations from 95 ft. to <b>135</b> 135 <sub>t</sub>	Brown soft reck	70 125	
perforations fromft. toft.	Grey seft reck	125 135	<del></del>
perforations from ft. to ft.	OLOY SOLUTION	1.00 2.00	
perforations from ft. to ft.		-	
perforations from ft. to ft.		-	
periorations from Landau 200 V	-		<del></del> .
(7) SCREENS: Well screen installed? ☐ Yes 💆 No	-	1	<del></del>
Manufacturer's Name			
Type Model No	-		
Diam. Slot size Set from the ft. to ft.			
Diam Slot size			
(8) WATER LEVEL: Completed well.			
			<u>*</u> *
sian pressure lbs. per square inch Date	The second secon		
(9) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? ☐ Yes 🔁 No If yes, by whom?	7 77 60 6	eted 3-13-69	<u> </u>
Yield: gal./min. with ft. drawdown after hrs.			<del></del> ·
, n	Date well drilling machine moved off of well 2	<u>5-13-69</u>	19
n' " " " " "	Drilling Machine Operator's Certification:	•	•
Bailer test 35 gal./min. with 50 ft. drawdown after 1 hrs.	This well was constructed under my	direct supervision	. Mate-
	rials used and information reported about knowledge and belief.	ive are true to	my best
Artesian flow g.p.m. Date		Date 3-20	1069
Temperature of water Was a chemical analysis made? Yes No	[Signed] (Drilling Machine Operator)	Date se	c, 1882./
(10) CONSTRUCTION:	Drilling Machine Operator's License No.	254	,
Well seal—Material used Bontenite			··
Depth of scal 64 feet ft.	Water Well Contractor's Certification:		
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Were any loose strata cemented off?   Yes X No Depth	mail Manual Drilling Co.		
Was a drive shoe used? 🗌 Yes 🛣 No	(Person, firm or corporation)	(Type or print	)
Did any strata contain unusable water?   Yes No	Address Rta 1 Bex 141 H	illabere,	Oregen
Type of water? depth of strata	0 B A -	*	
Method of sealing strata off	[Signed]	W	
Was well gravel packed? ☐ Yes No Size of gravel:	(Water Well Contr	actor)	m
Gravel placed fromft, toft.	Contractor's License No247 Date	2-10	, 1925.7.