## The original and first oppy of this report are to be JAN 21969 WATER WELL REPORTS ASK filed with the

state engineer, salem, oregon 19310. NGINEETSTATE OF OREGON (Please type or print) of well completion. OREGON (Do not write above this inel 3625)

State Well No. $3/1\omega-2$ ba
State Permit No

			<del></del>	
(1) OWNER:	(11) LOCATION OF WELL:			
Name Ly Thombson	County Washington Driller's well number			
Address Rt 2 Showood, Orc.	nE 14 hW/4 Section 2 T.3.	5 R. 1	W.	W.M.
(O) MYDE OF WORK (AL., IA).	Bearing and distance from section or subdivision	•		
(2) TYPE OF WORK (check):				
New Well Deepening Reconditioning Abandon State describe material and procedure in Years 19				
If abandonment, describe material and procedure in Item 12.			1941 +6	250
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well 1	oelow casi	ng 6.4	280=587
Cable	Depth drilled 556 ft. Depth of completed well 556 ft.			
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Formation: Describe color, texture, grain size			
CASING INSTALLED: Threaded   Welded	and show thickness and nature of each stratu with at least one entry for each change of form			
8 " Diam. from 0 ft. to 20 ft. Gage 125	in position of Static Water Level as drilling pro			
" Diam. from ft. to ft. Gage	MATERIAL	From	To	SWL
" Diam. from ft. Gage ft. Gage	Bagalt black	351	548	88
PERFORATIONS: Perforated?   Yes [No.			-	
Type of perforator used	Basalt porous (water)	548	532	110
Size of perforations in. by in.	Basalt black hart	532	556	117
perforations fromft. toft.	Basalt black have	332	326	110
perforations from ft. to ft.			1	
perforations from ft. to ft.	,			
perforations from ft. to ft.				
perforations from ft. to ft.				
(7) SCREENS: Well screen installed? ☐ Yes ► No				
Manufacturer's Name		1		
Type Model No.	and the second s			**************************************
Diam,			* 1	
Diam. Slot size Set from ft. to ft.		1		
(8) WATER LEVEL: Completed well.				
Static level //6 ft. below land surface Date //- 27-6			,	
sian pressure lbs. per square inch Date		<u> </u>		
lowered below static level	-			
Was a pump test made? Yes \( \subseteq \text{No. If yes, by whom? } \subseteq \subseteq \text{Index}	Work started 4. 1968 Complete	ted 22 - 4		1968
Yield: 600 gal./min. with 170 ft. drawdown after 2 hrs.	Date well drilling machine moved off of well	The same		10 20
240 " 70 " 2 "	Date went drinking machine moved out of went	1/11	2/	<u> </u>
<u>"/00" 40" 2"</u>	Drilling Machine Operator's Certification:		متناما متن	- Wate
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my d rials used and information reported abo	ve are t	rue to r	ny best
Artesian flow g.p.m. Date	knowledge and belief.	, <sub>/</sub>	1	
Temperature of water 54 Was a chemical analysis made?   Yes	[Signed] (Drilling Machine Operator)	Date A	ac 20	, 19 <i>6.</i>
(10) CONSTRUCTION:		2	36	· •
Well seal—Material used	Drilling Machine Operator's License No.		27.	
Depth of seal 70 ft.	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal 12 in.	This well was drilled under my jurisdiction and this report is			
Were any loose strata cemented off?  Yes No Depth	true to the best of my knowledge and belief.			
Was a drive shoe used? Pres No	NAME NAME (Person, firm or corporation) (Type or print)			
Did any strata contain unusable water?   Yes	Address ( ) and & Take	Ore.	S. O. h	9702
Type of water? depth of strata	Address Address			
Method of sealing strata off	[Signed] George St. & Ryles			
Was well gravel packed?   Yes PNo Size of gravel:	(Water Well Contra	ctor)	1	
Gravel placed fromft. toft.	Contractor's License No. Date	2 - (2	<u> </u>	19