STATE OF OREGON

ORIGINAL & FIRST COPY - WATER RESOURCES DEPARTMENT

AUG 2 4 1992

38/2	2w//a	
7	/	

44107

STATE OF OREGON		1 1/00	/
WATER WELL REPORT (as required by ORS 537.765)	WATER RESOURCES DEPT. SALEM. OREGON	1009	(START CARD) #
	ONELWI, ONLUOIT		

(1) OWNER: Well Number 768	(9) LOCATION OF WELL by legal descri		
Name Allen Wise'	County Washingtonatitude	_Longitude	
Address 35100 NE Kramien Rd	Township 3–S N or S, Range 2W E or W. WM. Section 1 NE 4 4		
City Newberg, State OR Zip 97132	Section		
(2) TYPE OF WORK:	Tax Lot 700 Lot Block		
New Well Deepen Recondition Abandon	Street Address of Well (or nearest address) 99-		
(3) DRILL METHOD:	Sherwood, OR 97140		
Rotary Air Rotary Mud Cable	(10) STATIC WATER LEVEL:	- 0 /F /00	
Other	60 ft. below land_surface.		
(4) PROPOSED USE:	Artesian pressurelb. per square in	ch. Date	
Domestic Community Industrial Irrigation	(11) WATER BEARING ZONES:		
Thermal Injection Other	:		
(5) BORE HOLE CONSTRUCTION:	Depth at which water was first found95!		
Special Construction approval Yes No Depth of Completed Well 185 ft.		TEL D. COM	
Explosives used Yes XXNo TypeAmount	From To Est	imated Flow Rate SWL	
	95 4	1 GPMn/a	
HOLE SEAL Amount Diameter From To Material From To sacks or pounds			
10" 0' 79' Cement 0' 79' 20 Sacks			
TO O TO SCHOOLS	(12) WELL LOG:		
6" 79'185'	Ground elevation		
How was seal placed: Method A B B C D D E	₩*		
	Material	From To SWL	
Other	Top Soil	0 2	
Backfill placed from ft. to ft. Material	Sticky Clay	2 25	
Gravel placed from ft. to ft. Size of gravel			
(6) CASING/LINER:	Soft Decomposed Clay & Rock	60 75	
Diameter From To Gauge Steel Plastic Welded Threaded	Hard Gray Basalt	75 95	
Casing: 6" +1' 79' -25 XX	Hard Gray/Brown Basalt	95 145	
	Hard Gray/Brown Basalt	145 155	
	Hard Red/Brown Basalt	1 1 1 2 11	
	H. Gray Basalt	155 185 60	
Liner:			
	-:		
Final location of shoe(s)	:		
(7) PERFORATIONS/SCREENS:			
l Perforations Method	-		
Screens Type Material			
Slot Tele/pipe			
From To size Number Diameter size Casing Liner			
	7.		
		_ _ _	
	-		
(8) WELL TESTS: Minimum testing time is 1 hour	Date started 8/6/92 Complete	d <u>8/7/92</u>	
Flowing Pump Bailer XX Air Artesian	(unbonded) Water Well Constructor Certification:		
Pump Bailer XX Air L Artesian	I certify that the work I performed on the consti	ruction, alteration, or abandon-	
Yield gal/min Drawdown Drill stem at Time	ment of this well is in compliance with Oregon well co	onstruction standards. Materials	
30 GPM 185' 1 hr.	used and information reported above are true to my	best knowledge and belief.	
30 GPM 185' 1 hr.	-	WWC Number	
	- Signed	Date	
	Signed		
	(bonded) Water Well Constructor Certification:	tion on abandonment wonly	
Temperature of Water 520 Depth Artesian Flow Found	I accept responsibility for the construction, altera	tion, or abandonment work per- orted above. All work performed	
Was a water analysis done? Yes By whom	during this time is in compliance with Oregon well co	nstruction standards. This report	
Did any strata contain water not suitable for intended use? Too little	is true to the best of my nowledge and belief.	_	
Salty Muddy Odor Colored Other		WWC Number 645	
Depth of strata:	Signed W Colors	Date 8/8/9 2	
ORIGINAL & FIRST COPY - WATER RESOURCES DEPARTMENT SEC	COND COPY - CONSTRUCTOR THIRD COPY -	CUSTOMER 9809C 10/91	