NOTICE TO WATER WELL CONTRA

The original and first copy of this report are to be filed with the State Well No. ... STATE ENGINEER, SALEM, OREGON Within 30 days from the date of well completion. STATE OF OREGON 3119 State Permit No. . Drawdown is amount water level is lowered below static level (1) OWNER: (11) WELL TESTS: Name Benjamin Hinkle Was a pump test made? Yes No If yes, by whom? Address 604 N. E. 151st Ave. gal./min. with ft. drawdown after Portland, Oregon (2) LOCATION OF WELL: Bailer test 30 gal./min. with totalt. drawdown after Washington Driller's well number 21. Artesian flow NW 14 SE 1/4 Section T. 35 Temperature of water 53 Was a chemical analysis made? ☐ Yes ☐ No Bearing and distance from section or subdivision corner (12) WELL LOG: Diameter of well below casing . Depth drilled ft. Depth of completed well Formation: Describe by color, character, size of material and structure, and show thickness of aquifiers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. TYPE OF WORK (check): Deepening [Reconditioning | Abandon 🗌 If abandonment, describe material and procedure in Item 12. (4) PROPOSED USE (check): (5) TYPE OF WELL: Rotary [Driven 🗌 Domestic 🛣 Industrial 🗌 Municipal 🗍 Cable Jetted | Irrigation ☐ Test Well ☐ Other Dug Bored [(6) CASING INSTALLED: Threaded | Welded M 6__" Diam. from _____0 ft. to 130 ____ft. Gage __250 " Diam. from _____ ft. to ____ ft. Gage .. (7) PERFORATIONS: Perforated? Tyes X No Type of perforator used Size of perforations perforations from ft. to perforations from perforations from

.... perforations fromft. to perforations from ft. to .. (8) SCREENS: Well screen installed? 🗌 Yes 🛣 No Model No. Slot size Set from ft. to Diam. Slot size Set from ft. to (9) CONSTRUCTION:

Clay, yellow and red granular		
· · · · · · · · · · · · · · · · · · ·	0	30
Clay, Brown granular	30	55
Clay, Yellow granular	55	61
Clay, Bluish grey, gritty	61	7)1
Clay, Brown gritty	74	85
Rock, Soft grey, tan clay seams	85	125
Rock, Medium hard, grey	125	139
Rock, Soft red	139	150
Rock, Brown (water)	150	160
Rock, Soft grey, streaks of brown	160	195
A NUMBER OF THE PROPERTY OF TH		
	4 11	
-		,
7 00 000		
		<u>></u>
		<u></u>
Work started 6/3/64 19 . Completed 6/1	0/61	19
Date well drilling machine moved off of well6/1	1/64	19

Well seal-Material used in seal Puddled clay and drill cutt Depth of seal ______60 ____ft. Was a packer used? ___soreening Diameter of well bore to bottom of seal _____10 Water Well Contractor's Certification: Were any loose strata cemented off? [] Yes 🕱 No

Was a drive shoe used? 🗌 Yes 🕱 No Was well gravel packed? 🖂 Yes 🗶 No Gravel placed from _____ ft. to ____

Did any strata contain unusuable water? 🔲 Yes 🕱 No Type of water? depth of strata

Method of sealing strata off

(10) WATER LEVELS:

Static level ft. below land surface Date June 10. Artesian pressure lbs. per square inch Date

NAME Steinman Brose
(Person, firm or corporation)

Drilling Machine Operator's License No.

Contractor's License No. ____ Date 6/11/64

Address 5112 S. E. McLoughlin, Wilwaukie 22, Ore.

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

(Type or print)

(USE ADDITIONAL SHEETS IF NECESSARY)