NOTICE TO WATER WELL CONTRACTOR The original and first copy of this reports are to be filed with the WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion. VIANT RESCURCES DEPARTMENT, RESCURCES DEPARTMENT, STATE OF RESCURCES DEPARTMENT, WITH RESCURCES DEPARTMENT, RESCURCES DEPARTMENT, WITH RESCURCES DEPARTMENT, RESCURCES DEPART	or print) (1) ASA Sinta Parmit No. G - 7527		
(1) OWNER: SALEM, OREGON SALEM, OREGON Address Rt. 1, Boy B-115 bord Ore 971-33	(10) LOCATION OF WELL: County //AShing on Driller's well number 14 14 Section / 4 T. // R. 2 W.M. Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check): New Well Deepening □ Reconditioning □ Abandon □ If abandonment, describe material and procedure in Item 12.	1 -		
(3) TYPE OF WELL: (4) PROPOSED USE (check): Rotary Driven Domestic Industrial Municipal Dug Bored DIFFIGURE TO Test Well Dother	(11) WATER LEVEL: Completed well. Depth at which water was first found (75) 4/8 ft. Static level 5 3 ft. below land surface. Date 6 -/5-77 Artesian pressure lbs. per square inch. Date		
CASING INSTALLED: Threaded Welded Welded Gage 1250 Threaded Welded Gage 1250 Threaded Gage 1250 Threaded Welded Gage 1250 Threaded Gage 1250 Threaded Welded Gage 1250 Threaded Threaded Welded Threaded Threaded Threaded Welded Threaded T	(12) WELL LOG: Diameter of well below casing		
PERFORATIONS: Perforated? Yes No.	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. MATERIAL From To SWL		
Size of perforations in. by in. perforations from ft. to ft. perforations from ft. to ft.	Brewn Clay 2 25 Brewn Clay 25 48		
manufacturer's Name Model No.	Blue. Clay 12 90 Hz C Red Clay HARD 90 94 Lte Brown SOND 94 102 H. C		
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft. (8) WELL TESTS: Drawdown is amount water level is lowered below static level	Blue Clar 102 125 Clay with Gravel 125 131 Brown O Clay 131 149 Redush Brown Clay 149 160		
Was a pump test made? Yes No If yes, by whom? Doiller ld: 25 gal./min. with O ft. drawdown after 4 hrs.	Brown Clay 160 165 Brown SAND 165 180 420 DARK Brown SAND 160 195 Reddish Brown Clay 155 216		
Bailer test 75 gal./min. with 75 ft. drawdown after Jhrs. Artesian flow g.p.m.	Blue Clar 236 249 DARY Brown SAND 249 260		
(9) CONSTRUCTION: Well seal—Material used Cement	Work started 6-13 197/Completed 6-13 197/ Date well drilling machine moved off of well 6-15 1977 Drilling Machine Operator's Certification:		
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Date Date Date Date Date Date Date Date		
We a drive sheet world T. Von The Diverse Size leasting	Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? Yes No Plugs Size: location ft. Did any strata contain unusable water? Yes Yes Type of water? depth of strata Method of sealing strata off	Name F. E. Y. O. Knight (Person, firm or corporation) Address 840 West + St. St. Helens Was Isigned 1 M. Knight		
Was well gravel packed? Yes No Size of gravel: Gravel placed fromft. toft.	[Signed] (Water Well Contractor) Contractor's License No. 20 Date 6 19.7		

NOTICE TO WATER WELL CONTRACTOR
'The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

U) WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

10	MS.	H
53	20	}

State Well No. /N/2W/4

		1
State Perr	nit No.	of rest of fire and a section of the second of the second section of the section

(1) OWNER:	(10) LQCATION OF WELL:		
Name Robert Bennett	County Driller's well number		
Address Rt. 1. Box	34 34 Section (4 T.) 3 R. 2 L. W.M.		
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner		
New Well Deepening Reconditioning Abandon			
If abandonment, describe material and procedure in Item 12.		· · · · · · · · · · · ·	
	(11) WATER LEVEL: Completed well.		
The American Co.	Depth at which water was first found	ft.	
Cable	Static level ft. below land surface.		
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch.	Date	
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below or	asing	
6 " Diam. from +2 ft. to 383 ft. Gage 250	Depth drilled ft. Depth of completed well ft.		
" Diam. from ft. Gage ft. Gage	Formation: Describe color, texture, grain size and stru	cture of materials;	
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and with at least one entry for each change of formation. Re	aquifer penetrated,	
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate principal w		
Type of perforator used	MATERIAL From	To SWL	
Size of perforations in. by in.	Light Brown SAND 260	274	
perforations from ft. to ft.	Rollish Brown Sanit 274	290	
perforations from ft. to ft.	Brown Clay 290	330	
perforations from ft. to ft.	Brown SAND 330	342	
(7) SCREENS: Well screen installed? Yes No	Rive Received 273	3/3	
Manufacturer's Name	Black LAUM 418	421 1470	
Type Model No	EINISh WELL		
Diam Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is		 	
lowered below static level			
Was a pump test made? (XYes No If yes, by whom? Willed- ald: 25 gal./min. with (1) ft. drawdown after 4 hrs.		+ + -	
ld: 25 gal./min. with (6) ft. drawdown after 4 hrs.			
in and the second of the secon			
		 	
Artesian flow g.p.m. Imperature of water 5 Depth artesian flow encountered ft.	Work started 19 Completed	19	
		19	
(9) CONSTRUCTION:	Date well drilling machine moved off of well		
Well seal—Material used	Drilling Machine Operator's Certification: This well was constructed under my direct	et supervision	
Well sealed from land surface to 353	Materials used and information reported above	are true to my	
Diameter of well bore to bottom of seal	best knowledge and belief. [Signed] The best knowledge and belief. Date of the best knowledge and belief.	6-/5 197>	
Diameter of well bore below seal	(Drilling Machine Operator)		
How was cement grout placed? Shove	Drilling Machine Operator's License No.	rivingh7	
	Water Well Contractor's Certification:		
Windshow (National) Control of the C	This well was drilled under my jurisdiction	and this report is	
	true to the best of my knowledge and belief.	viid mits report is	
Was a drive shoe used? Yes No Plugs Size: location ft.	Name (Person, firm or corporation) (Type or print)	
Did any strata contain unusable water? Yes No			
Type of water? depth of strata	Address		
Method of sealing strata off	[Signed](Water Well Contractor)	***************************************	
Was well gravel packed? Yes No Size of gravel:	Contractor's License No	10	
Gravel placed from ft. to ft.	Commadous a licelise No	10	