NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be

WATER WELL REPORT WASH

STATE OF OREGON 5707 State Well No. 11/2 W-3/cc

of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date JAN

STATE OF OREGON

Hease type or print)

C 1070 (Dant write above this line)

of well completion.	G5144 State Permit N	0
STATE ENGINEER	1	
(I) OWNER: OKEGON	(11) LOCATION OF WELL:	
Name Washington County	County Washington Driller's well no	umber
Address Courthouse, Hillsboro, Oregon	14 14 Section 31 T. 1	N R. 2 W. W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision	n corner
New Well \(\bar{\Delta} \) Deepening \(\bar{\Delta} \) Reconditioning \(\bar{\Delta} \) Abandon \(\bar{\Delta} \)		
If abandonment, describe material and procedure in Item 12.	* N=	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well is	below casing 16"
Cable	Depth drilled 140 ft. Depth of compl	
☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Formation: Describe color, texture, grain size	
(5) CASING INSTALLED: Threaded Welded 4. Welded 4. Welded 4. Cage 4.250	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.	
" Diam. from ft. to ft. Gage	MATERIAL	From To SWL
" Diam. from ft. to ft. Gage	Top soil	0 2
PERFORATIONS: Perforated? M Yes No.	Yalow clay	2 12
	Wet sand	12 15
Type of perforator used Torch	Brown clay	15 29
Size of perforations 1/8 in. by 12 in.	Sand (some water)	29 34
12 perforations from 31	Blue clay, some sand	
12 perforations from 115 ft. to 136 ft.		
perforations from ft. to ft.		125 127 water
perforations fromft. toft.	Blue clay	127 140
perforations from ft. to ft.		
(7) SCREENS: Well screen installed? Yes No		
Manufacturer's Name	T	
Type Model No		
Diam. Slot size Set from ft. to ft.		
Diam. Slot sfze Set from ft. to ft.		
(8) WATER LEVEL: Completed well.		
	-	
Artesian pressure lbs. per square inch Date		4.4
(9) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? ☐ Yes ② No If yes, by whom?	***	
d: and from milities at the second	Work started 12/12/69 19 Complete	ed 12/26/69 19
Barrier William III. Grawdown arter III.	Date well drilling machine moved off of well	12/26/69 19
	a constitution of great transfer the constitution of the constitut	The state of the s
AIRLIFT of Toldand	Drilling Machine Operator's Certification:	بعيد إسيهاده وهو الداد والا
Bailer test 25 gal./min. with 12ft. drawdown after 2 hrs.	This well was constructed under my diricals used and information reported abov	rect supervision. Mate-
Artesian flow g.p.m. Date	knowledge and belief	2
Temperature of water Was a chemical analysis made? Yes No	Ising lie numer Range 1/8/700	
(10) CONSTRUCTION:	(Drilling Machine Operator)	
Well seal—Material used Bentonite	Drilling Machine Operator's License No. 235	
78	Water Wall Contractor's Contistantian	
or sear		
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	
Were any loose strata cemented off? Yes 15 No Depth	NAME A. M. Jannsen Drilling Co.	
Was a drive shoe used? Yes No	(Person, firm or corporation) (Type or print)	
Oid any strata contain unusable water? Yes 1 No	Address 21075 S. W. Tualatin V.	alley Highway, Aloh
Type of water? depth of strata		
Method of sealing strata off	[Signed] dual le	unce_
Was well gravel packed? Ki Yes No Size of gravel: 1/4 to same	(Water West Contract	
Gravel placed from 18 ft. to 140 ft.	Contractor's License No. 79 Date	1/8/70 19