NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be

VATER WELL REPORT

State Well No. ..

STATE ENGINEER, SALEM, OREGON 97310 UL 16 1968 (Please type or print) within 30 days from the date TATE ENGINEER above this line) of well completion. GALEM ON CON

State Permit No.

(1) OWNER: morden	(11) LOCATION OF WELL:			
Name Illoyd E. La Mondelon	County Washington Driller's well number			
Address Rte 3 Box 545 Hillsboro, Oregon	% % Section 1DD T. 1		3 W	YET BE
- 40.000			- 1	W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivisio North Plains	n corner		
New Well				
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):				
Rotary Driven Driven	(12) WELL LOG: Diameter of well	oelow casi		
Cable	Depth drilled 335 ft. Depth of compl	eted well	335	ft.
	Formation: Describe color, texture, grain size	and struct	ture of m	aterials;
CASING INSTALLED: Threaded Welded	and show thickness and nature of each stratu with at least one entry for each change of form	m and ag	uifer per	netrated,
6 "Diam. from 0 ft. to 130ft. Gage 17#	in position of Static Water Level as drilling pro	ceeds. N	ote drillin	ng rates.
5 9/16 iam. from 55 ft. to 335 ft. Gage 10 gag	MATERIAL	From	То	SWL
ft. toft. Gage	Top soil	0	2	
PERFORATIONS: Perforated 2 Ves No.	Brown clay	2	30	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Bluw clay	30	70	
	Grey clary	70	150	
Size of perforations 1/8" in. by 6" in.	Blue clay	150	160	
90 perforations from 275 ft. to 335 ft.	Brown clay	160	260	
perforations from ft. to ft.	Grey clay	260	285	
perforations from ft. to ft.	Brown clay & sand	285	315	 ;
perforations from ft. to ft.	Black sand	315	335	
perforations from ft. to ft.				
(7) SCREENS: Well screen installed? ☐ Yes ▼ No				
Manufacturer's Name	5			
Type Model No.				
Diam. Slot size Set from ft. to ft.				
Diam Slot size Set from ft. to ft.	173			
	, ,			
(8) WATER LEVEL: Completed well. Static level 140 ft below land gurtage Para 7-7-68				
Static level 140 ft. below land surface Date 7-7-68				-
A sian pressure lbs. per square inch Date				
(9) WELL TESTS: Drawdown is amount water level is				
lowered below static level				
Was a pump test made? ☐ Yes 💁 No If yes, by whom?	Work started 7-6-86 19 Complete	4 17 17	60	
Yield: gal./min. with ft. drawdown after hrs.		7-7.		19
" " " " " " " " " " " " " " " " " " " "	Date well drilling machine moved off of well	7-7-	-00	19
" " " "	Drilling Machine Operator's Certification:			
Bailer test 30 gal./min. with 80 ft. drawdown after 1hrs.	This well was constructed under my di rials used and information reported abov	rect supe	rvision.	Mate-
Artesian flow g.p.m. Date	knowledge and belief.	e are tr	ue to m	ly best
Temperature of water Was a chemical analysis made? ☐ Yes ♣ No	[Signed] Palad July	Date 7	-14	1008
	(Drilling Machine Operator)	Date A	- <u></u>	186
(10) CONSTRUCTION:	Drilling Machine Operator's License No	254		
Well seal—Material used Bentonite			************	
Depth of seal 125 feet ft.	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal in.	This well was drilled under my jurisdi	ction and	l this re	port is
Were any loose strata cemented off? Yes No Depth	true to the best of my knowledge and belief.			
Was a drive shoe used? 🗆 Yes 🗶 No	NAME Relph Turner Drilling Co (Person, firm or corporation) (Type or print)			
Did any strata contain unusable water? Yes No		llsbo		regor
Type of water? depth of strata	Address Rto 1 Box 141 H1	#TENO	<u> </u>	TOPOR
Method of sealing strata off	[Signed] States Just	mil		
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Contract	(or)		
Gravel placed fromft. toft.	Contractor's License No. 247 Date	7-14	≠ .	1968
				A