

W.O. Wash

15/2w/3066

STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

WATER RESOURCES DEPT. SALEM, OREGON

(START CARD) # 15948

(1) OWNER: Name Farmington View School Dist. Address Route 2, Box 100 City Hillsboro State OR Zip 97123

(2) TYPE OF WORK: [X] New Well [] Deepen [] Recondition [] Abandon

(3) DRILL METHOD [X] Rotary Air [] Rotary Mud [] Cable [] Other

(4) PROPOSED USE: [] Domestic [X] Community [] Industrial [] Irrigation [] Thermal [] Injection [] Other

(5) BORE HOLE CONSTRUCTION: Special Construction approval Yes No Depth of Completed Well 260 ft. Explosives used [] [X] Type Amount

Table with columns: HOLE Diameter, From, To, SEAL Material, From, To, Amount sacks or pounds. Row 1: 10", 0, 59, Cement/gel, 0, 59, 13 sacks.

How was seal placed: Method [] A [] B [X] C [] D [] E Backfill placed from ft. to ft. Material Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Casing: 6", +18", 59', .250, [X], [], [X], []. Liner: 4", -5, 260, SDR26, [], [X], [X], [].

Final location of shoe(s)

(7) PERFORATIONS/SCREENS: [X] Perforations Method Drilled [] Screens Type Material

Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner. Row 1: 230, 260, , 95, 1/2", , [], [X].

(8) WELL TESTS: Minimum testing time is 1 hour. Table with columns: Yield gal/min, Drawdown, Drill stem at, Time. Row 1: 80, , 260, 1 hr.

Temperature of water Depth Artesian Flow Found Was a water analysis done? [] Yes By whom Did any strata contain water not suitable for intended use? [] Too little [] Salty [] Muddy [] Odor [] Colored [] Other Depth of strata:

(9) LOCATION OF WELL by legal description: Washington County Latitude Longitude Township 1 S N or S, Range 2 W E or W, WM. Section 30 NW 1/4 NW 1/4 Tax Lot Lot Block Subdivision Street Address of Well (or nearest address) Rt. 2, Box 100 Hillsboro, Oregon 97123

(10) STATIC WATER LEVEL: 58 ft. below land surface. Date 12/1/89 Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES: Table with columns: From, To, Estimated Flow Rate, SWL. Row 1: 142, 151, 25 gpm, 58.

(12) WELL LOG: Table with columns: Material, From, To, SWL. Row 1: Topsoil, 0, 1. Row 2: Soft brown clay, 1, 14. Row 3: Red clay w/decomposed basalt, 14, 19. Row 4: Decomp. gray-brown basalt, 19, 44. Row 5: Soft gray-brown basalt, 44, 55. Row 6: Firm gray basalt, 55, 82. Row 7: Soft gray-black basalt, 82, 101. Row 8: Firm gray basalt, 101, 126. Row 9: Soft red-brown basalt, 126, 151, 58. Row 10: Firm gray-brown basalt, 151, 180. Row 11: Soft black basalt, 180, 189. Row 12: Firm gray-black basalt, 189, 198. Row 13: Soft brown basalt, 198, 210. Row 14: Firm gray-brown basalt, 210, 246. Row 15: Soft brown basalt, 246, 253. Row 16: Firm gray-brown basalt, 253, 260.

Date started 11.30.89 Completed 12/1/89

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief. WWC Number Signed Date

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. all work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief. WWC Number 1266 Signed Date 12/2/89